

Makita

CLEANER CATALOGUE

COMMERCIAL CLEANING & BUILDING MAINTENANCE



COMMERCIAL CLEANING

Enjoy convenient and hassle-free cleaning with our wide range of cordless vacuums, perfect for floors, elevators, stairwells, and hard-to-reach spaces.

Makita offers a variety of cordless solutions, including backpack vacuums, compact vacuums, canister vacuums, industrial robotic vacuums, and accessories. Our cordless system ensures that users can tackle any job with ease.



				
	STICK VACUUM Pg-04	UPRIGHT VACUUM Pg-08	BACKPACK VACUUM Pg-10	VACUUM SWEEPER Pg-14
XGT	CL001G , CL002G, CL003G	VC010G	VC011G, VC008G	VS001G
LXT	DCL286F, DCL281F, DCL280F, DCL180	DVC560	DVC660, DVC261	—
OTHERS	CL108FD, CL117FD	—	—	—
				
	ROBOTIC VACUUM Pg-16	PORTABLE VACUUM Pg-19	DRUM VACUUM Pg-22	PRESSURE WASHER Pg-28
XGT	—	—	VC007GL, VC003GL, VC004GL, VC005GL	HW001G
LXT	DRC300, DRC200	DVC750L, DCL184	DVC150L	DHW080
OTHERS	—	CL121D	VC2000L	HW101, HW1200, HW1300, HW132, HW151

CORDLESS SOLUTION

This efficient cleaning solution eradicates the need for extension cords and provides unparalleled mobility for tidying up large areas.



THE CORDLESS ANSWER TO HIGH DEMANDS
XGT OUTPOWERS, OUTSMARTS, AND
OUTLASTS THE REST



ONE SYSTEM ENDLESS POSSIBILITIES
WORLD'S LARGEST 18V LI-ION
SYSTEM



LONGER RUN TIME

Our XGT/LXT Lithium-Ion batteries have fast charge times, allowing users to keep moving without interruption.

LOW NOISE

Quiet operation achieved with noise reduction construction. Our cleaners are recommended for noise sensitive areas including residential, hospitals, Airport, etc.

LIGHTWEIGHT & COMPACT

Our cleaners are compact and lightweight, saving space and making it easy to clean hard-to-reach places, including overhead upholstery and AC ducts. Users will find it effortless to hold and maneuver our cleaners.

LESS MAINTENANCE

Hassle-free cleaning. Easy dust disposal. Brushless motors.

VARIOUS ATTACHMENTS

Optional attachments available for various upholstery and hard-to-reach places.

HEPA filter

Capture very fine particles effectively. Able to capture 99.97% of particles as small as 0.3-1 μm

HEPA filter



BL MOTOR

Brushless motor

Eliminate carbon brushes and run contact-free, enabling the motor to run cooler and more efficiently for longer life.

Easy to install slide type battery

Stick Vacuum

Makita Cordless Compact Vacuums are high performance, efficient solutions for quick clean-ups. Their compact, versatile designs are ideal for multiple applications.

High Power / Compact /
Lightweight / Low noise

Ideal for residential & commercial spaces like shops, offices,
hospitals, schools, transport vehicles, and home use



CL001G / CL002G



CL003G

CORDLESS STICK VACUUM

Ideal for hard floor, upholstery, vehicle, and short pile carpet. Great for home, retail, educations, medical, and transportation segments.

BUTTON OR TRIGGER SWITCH

Allows the user to adjust the suction power according to the task

One touch switch



CL001G, CL002G, CL003G
DCL286F, DCL281F
CL108FD, CL117FD

Trigger switch



DCL180
DCL280F (TRIGGER WITH LOCK)

DUST-RESISTANCE CONSTRUCTION

Cleaner is designed to hold the filter firmly to protect the machine from the dust

Pipe locking system Pipe with bevelled end

Prevent the pipe from accidentally coming off except DCL180, CL108FD



Cleaning of tight places can be done without nozzle (except DCL180, CL108FD)



LED LIGHT



LED light illuminates the work area and acts as a low battery indicator (except DCL180)

HIGH SUCTION WITH BRUSHLESS MOTOR

Equipped with Brushless motor

For models DCL281, DCL280

Equipped with High Speed Brushless motor

For all XGT models and LXT model DCL286F

High speed brushless motor provides not only high suction power but also maintain same suction power even if the battery voltage drops



EASY AND QUICK DUST DISPOSE

Available in three different types

1 Capsule type dust box

- Quick dust disposal with single turn
- No need of paper bag



For model
CL001G
DCL281F, DCL280F, DCL180
CL108FD
CL117FD

2 Dust bag

Dust bag can be accessed by single click



For model
CL002G

2 Cyclone type

For increased cleaning efficiency. Cyclonic system separates large dust particles from fine dust particles so that only fine dust particles are captured on the filter for reduced clogging.

For model CL003G, DCL286F



Easy dust disposable



Nozzle assembly for cleaning floor/ Carpet (standard with all stick vacuums)

180° swivel neck (standard with all XGT models and LXT model DCL286F) for easy maneuverability and access to hard to reach areas.

HEPA FILTER

Equipped with efficient two-stage HEPA filter that captures 99.97% of particulates, 0.3 microns and larger.

HEPA
filter



Standard with all XGT models and DCL286F

40V MAX XGT CL001G



Capacity	730 mL
Continuous Use (min.)	1:128 2:64 3:40 4:25 (4.0Ah)
Max Air Flow	1.2 m ³ /min
Max Sealed Suction	21kPa
Suction Power	125W
Dimensions (L x W x H)	1,066 x 113 x 152 mm
Net weight	1.0 kg



AVAILABLE VARIANTS

	KIT VARIANT	"Z" VARIANT
	- 1 x 2.0Ah battery - 1 x FAST charger - Flexi hose / Round brush	- TOOL ONLY - Flexi hose - Round brush
BLUE	CL001G A1 04	CL001G Z 03
SNOW-WHITE	CL001G A1 22	CL001G Z 13
BLUE / & BLACK	CL001G A1 11	CL001G Z 06

40V MAX XGT CL002G



Capacity	500mL / 300mL
Continuous Use (min.)	1:128 2:64 3:40 4:25 (4.0Ah)
Max Air Flow	1.2 m ³ /min
Max Sealed Suction	21kPa
Suction Power	125W
Dimensions (L x W x H)	1,066 x 114 x 152 mm
Net weight	1.1kg



AVAILABLE VARIANTS

	KIT VARIANT	"Z" VARIANT
	- 1 x 2.0Ah battery - 1 x FAST charger - Flexi hose / Round brush	- TOOL ONLY - Flexi hose / Round brush
BLUE	CL002G A1 03	CL002G Z 02
SNOW-WHITE	CL002G A1 13	CL002G Z 08
BLUE / & BLACK	CL002G A1 07	CL002G Z 04

40V MAX XGT CL003G



Capacity	250 mL
Continuous Use (min.)	1:128 2:64 3:40 4:25 (4.0Ah)
Max Air Flow	1.0 m ³ /min
Max Sealed Suction	20Kpa
Suction Power	100W
Dimensions (L x W x H)	1,121 x 113 x 177 mm
Net weight	1.3 kg



AVAILABLE VARIANTS

	KIT VARIANT	"Z" VARIANT
	- 1x2.0Ah battery - 1xFAST charger - Flexi hose / Round brush	- TOOL ONLY - Flexi hose / Round brush
BLUE	CL003G A1 02	CL003G Z 01
SNOW-WHITE	CL003G A1 07	CL003G Z 12
BLUE / & BLACK	CL003G A1 05	CL003G Z 07

18V LXT DCL286F



Capacity	250 mL
Continuous Use (min.)	Mode 1 / 2 / 3 / 4: 38 / 21 / 15 / 8 (3.0Ah)
Max Air Flow	1.0 m ³ /min
Max Sealed Suction	18 kPa
Suction Power	Mode 4 / 3 / 2 / 1: 100 / 60 / 35 / 15 W
Dimensions (L x W x H)	1,106 x 113 x 177 mm
Net weight (without battery)	0.9 kg



AVAILABLE VARIANTS

	KIT VARIANT	"Z" VARIANT
	- 1x3.0Ah battery - 1xFAST charger - Flexi hose/Round brush	- TOOL ONLY - Flexi hose - Round brush
BLUE	DCL286F RF	DCL286F Z
SNOW-WHITE	DCL286F RW	DCL286F ZW

18V LXT DCL281F



Capacity	750 mL
Continuous Use (min.)	Max: 15 High: 20 Normal: 50 (3.0Ah)
Max Air Flow	1.5 m ³ /min
Max Sealed Suction	8.2 kPa
Suction Power	Max / High / Low : 60 / 45 / 15 W
Dimensions (L x W x H)	1,016x113x154 mm
Net weight	0.8 kg



AVAILABLE VARIANTS

	"Z" VARIANT
	- TOOL ONLY
BLUE	DCL281F Z

18V LXT DCL280F



Capacity	750 mL
Continuous Use (min.)	20 min (3.0Ah)
Max Air Flow	1.4 m ³ /min
Max Sealed Suction	6.4 kPa
Suction Power	45 W
Dimensions (L x W x H)	1,016x113x155 mm
Net weight	0.8 kg




AVAILABLE VARIANTS

	"Z" VARIANT
	- TOOL ONLY
BLUE	DCL280F Z

18V LXT DCL180



Capacity	650 mL
Continuous Use (min.)	20 min (3.0Ah)
Max Air Flow	1.4 m ³ /min
Max Sealed Suction	4.2 kPa
Suction Power	30 W
Dimensions (L x W x H)	981x114x152 mm
Net weight	0.85 kg



AVAILABLE VARIANTS

	KIT VARIANT	"Z" VARIANT
	- 1x3.0Ah battery - 1xFAST charger	- TOOL ONLY
BLUE	DCL180 RF	DCL180 Z

12V MAXT CXT CL108FD



Capacity	600 mL
Continuous Use (min.)	Max/ High/ Normal: 20/ 24/ 50 (4.0Ah)
Max Air Flow	1.3 m ³ /min
Max Sealed Suction	4.4 kPa
Suction Power	Max/ High/ Normal: 32/ 20/ 5W
Dimensions (L x W x H)	956x110x150 mm
Net weight (without battery)	1.2 kg

AVAILABLE VARIANTS

	KIT VARIANT	"Z" VARIANT
	- 1 x 4.0Ah battery - 1 x FAST charger	- TOOL ONLY
BLUE	CL108FD SM	CL108FD Z
SNOW-WHITE	CL108FD SMW	CL108FD ZW

12V MAX (IN-BUILT) CL117FD



Capacity	650 mL
Continuous Use (min.)	Powerful / High / Normal: 10 / 18 / 55
Max Air Flow	1.0 m ³ /min
Max Sealed Suction	5.0 kPa
Suction Power	Powerful / High / Normal: 29 / 15 / 3
Dimensions (L x W x H)	992 x 110 x 136 mm
Net weight (without battery)	1.0 kg

AVAILABLE VARIANTS

	KIT VARIANT
	- TOOL & Adapter
BLUE	CL117FD X1
GREEN	CL117FD X4
PURPLE	CL117FD X7

STICK VACUUM ATTACHMENTS

STRAIGHT PIPE WITH LOCK

For models CL001G, CL002G, CL003G, DCL286F, DCL281, CL117FD, CL108FD,

- 459353-8
- 459356-2
- 458942-6



1910Y3-1 (Telescopic)

STRAIGHT PIPE


For models DCL180, CL106FD

- 451424-7
- 451241-5
- 451244-9



FLEXIBLE HOSE


- 191496-7
- 198867-9
- 198541-9
- 198543-5



FLEXIBLE HOSE WITH LOCK

For models CL001G, CL002G, CL003G, DCL281

- 191E30-3



28mm cuff tip attachments and Stick Cleaners / Backpack Cleaners:

(The below attachments can also be used with the cleaner DVC750L with the help of the joint 418500-0)

<p>SASH NOZZLE</p> <ul style="list-style-type: none"> ○ 413769-1 ○ 413770-6 ● 451243-1 / 413859-0 ● 456586-6 / 413809-5 	<p>SASH NOZZLE (LONG)</p> <ul style="list-style-type: none"> ○ 198919-6 ● 198990-0 ● 198992-6 ● 191D65-8 	<p>ROUND BRUSH</p> <ul style="list-style-type: none"> ○ 198548-5 ○ 198878-4 ● 198549-3 ● 198555-8 	<p>SHELF BRUSH</p> <ul style="list-style-type: none"> ○ 198537-0 ○ 198873-4 ● 198534-6 ● 198540-1 	<p>RUBBER NOZZLE</p> <ul style="list-style-type: none"> ● 197901-2 	<p>ANCHOR NOZZLE</p> <ul style="list-style-type: none"> ○ 192236-6 <p>Rubber nozzle is additionally required</p>
--	---	--	--	--	--

NOZZLE ASSEMBLY

<p>For floor / carpet (swivel type)</p> <ul style="list-style-type: none"> ○ 127825-8 ● 127827-4 ● 127828-2 	<p>For floor / carpet (with switch)</p> <ul style="list-style-type: none"> ○ 198183-9 ● 199431-9 	<p>For floor / carpet (with switch & swivel)</p> <ul style="list-style-type: none"> ○ 191G86-8 	<p>For floor</p> <ul style="list-style-type: none"> ○ 123485-4 ○ 123486-2 ● 123488-8 ● 123539-7 	<p>For rug / carpet</p> <ul style="list-style-type: none"> ○ 198150-4 ○ 198525-7 ● 198523-1 ● 198526-5 	<p>Seat nozzle For automobile</p> <ul style="list-style-type: none"> ○ 199037-3 ● 199040-4 ● 199039-9 	<p>Flat type</p> <ul style="list-style-type: none"> ● 199454-7 	<p>Hard floor nozzle</p> <ul style="list-style-type: none"> ○ 1911J4-0 	<p>Carpet nozzle</p> <ul style="list-style-type: none"> ○ 1911J6-6
--	--	---	---	--	--	---	---	---

Swivel joint with wheels provide increased maneuverability

Cyclone Unit

(For stick cleaners/ backpack Cleaners)

Cyclonic Vacuum Attachment is designed to expand the capacity to collect debris.



Part # 199491-1
Without lock system

Part # 191D71-3
With lock system

Compact Cyclone Unit

Maintain the high performance (suction power) even if the filter is clogged

Easy disposal of the fine dust collected in dust case

Mesh pipe
Tubular Prefilter
sponge filter



Compact cyclone unit comes as a standard with the cleaner CL003G, DCL286F

- 1910D3-4
- 1910D4-2
- 1910D5-0

Stand

- 1911L1-0



Base can hold charger and small accessories

Wall Bracket

- 199971-7



Accepts all 18V LXT / XGT Stick Cleaners

Battery Adapter - BAP18C

Specially designed for use with 18V LXT cordless cleaners
Transfers the battery weight from the cleaner to user's waist to reduce the stress on hand

- 191M50-5



Filters and dust bags

Capsule Type Dust Box models

HEPA Filter		199989-8
Pre-Filter		451208-3 198750-0 (with package & country of origin)
Easy shake-off filter		199966-0
Filter		443060-3
Stay (Filter flame)		458467-0
Sponge sheet		422268-2 (not suitable for CL183D)

Dust Bag type models

Cloth dust bag		198747-9
Paper dust bag 5pcs set		194566-1
Easy shake off bag		198748-7
High performance dust bag set		1910M4-5
Valve stay complete		143677-9
Guard		413J77-0

Cyclone unit type models

Filter set HEPA filter		1910C9-5
High performance filter set		1910C7-9

Upright Vacuum

Cleans more without a cord with the 5L Upright Vacuum. Provides high performance in commercial cleaning applications. Ideal for rug and carpet cleaning



Certified by the Carpet and Rug Institute (USA)



VC010G



DVC560

VC010G

40V MAX XGT

110W
SUCTION POWER

5L
CAPACITY

BL
MOTOR

HEPA
filter



IDEAL FOR CARPET / RUG

High dust pick-up rate achieved

- Using an enhanced **BL motor** for higher suction power
- Wide suction port



Low cleaner head for cleaning under confined spaces

VC010G: 80mm
DVC560: 110mm

Easy cleaning under tight spaces achieved

- With low cleaner head
 - Main body able to tilt up to 90°
- (Example cleaning under furniture, sofa, bed and more)



DVC560

36V (18V x 2) LXT

85W
SUCTION POWER

5L
CAPACITY

BL
MOTOR

HEPA
filter



IDEAL FOR CARPET / RUG

One-touch 3-suction mode selection switch with mode memory function



Cleaning in corners or confined spaces by using aluminium pipe with expandable hose and attachments



Corner nozzle



Aluminium Pipe



Round brush



Onboard storage

HEPA filter provide a high filtration rate of 99.97% capturing fine dust




Front bumper protects wall and furniture surfaces from scratches / damage



Twin LED job light convenient for cleaning in dark places



The side brush convenient for cleaning the corner of a wall



5-stage brushroll height adjustment for carpet pile length



Tool-less brushroll for easy maintenance



VC010G

40V MAX | XGT

Tank Capacity	5.0 L
Max Suction Power	Max / Normal / Low : 110W / 50W / 25W
Max Sealed Suction	15 kPa
Max Air Flow	1.8 m ³ /min
Dust pick-up rate	Max / Normal / Low : 55 / 45 / 36%
Cleaning width	381 mm
CRI Certified	Gold rated
Continuous Use (min.) (with 5.0Ah)	Max / Normal / Low : 25 / 50 / 100 min
Noise (dB)	Max / Normal / Low : 67 / 64 / 57 dB(A)
Dimensions (L x W x H)	326 x 381 x 1,146 mm
Net weight	7.3 kg (without battery)

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY	CHARGER
BARE TOOL	VC010GZ	-	-

DVC560

18Vx2 | LXT

Tank Capacity	5.0L
Max Suction Power	Max / Normal / Low : 85W / 50W / 25W
Max Sealed Suction	12 kPa
Max Air Flow	1.9 m ³ /min
Dust pick-up rate	Max / Normal / Low : 47 / 39 / 34%
Cleaning width	318 mm
CRI Certified	Broze rated
Continuous Use (min.) (with 6.0Ah x2)	Max / Normal / Low : 30 / 60 / 120 min
Noise (dB)	Max / Normal / Low : 47 / 44 / 40 dB(A)
Dimensions (L x W x H)	326 x 318 x 1,146 mm
Net weight	7.6 kg (without battery)

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY	CHARGER
BARE TOOL	DVC560Z	-	-
WITH KIT	DVC560PT2	2pcs 5.0Ah	Fast Charger

STANDARD ATTACHMENTS

CORNER NOZZLE
191D65-8



ROUND BRUSH
191D67-4



PIPE ASSEMBLY
127522-6



HOSE COMPLETE 28MM-0.7M
(VC010G) 141R15-7
(DVC560) 140S37-0



BRUSH COMPLETE
(VC010G) 1914B1-8
(DVC560) 191D69-0



HEPA FILTER
191E39-5



DISPOSABLE BAG 10PCS/PKG
191D63-2



REUSABLE BAG 1PC/PKG
191Y86-6
(optional)



Backpack Vacuum

Cordless Backpack Vacuums are portable and weigh less but powerful in performance. This compact clean-up solution eliminates extension cords and allows access to hard-to-reach spaces. Select from different capacity options based on your cleaning job needs



Freedom of movement

This efficient cleaning solution eradicates the need for extension cords and provides unparalleled mobility for tidying up large areas



Ergonomic, lightweight & compact design



Easy to carry lightweight comes with Padded shoulder straps and waist belt with multiple adjustments for improved fit and comfort

Easy Storage

Makita's Backpack Vacuums are compact in size and eliminate extensions cords for a space-saving solution.



HEPA Filter is used as the main filter to capture very fine particles effectively. Able to capture 99.97% of particles as small as 0.3-1 μ m

HEPA filter



Brushless motors eliminate carbon brushes and run contact-free, enabling the motor to run cooler and more efficiently for longer life.

BL MOTOR

Easy to Maneuver

Low profile design including flexible hoses and nozzles are easy to maneuver to clean hard-to-reach places.



Low Noise

Quiet operation achieved with noise reduction construction and suitable for noise sensitive areas including residential, hospitals, Airport, etc



VC011G / VC008G

40V MAX XGT

195W

SUCTION POWER

6L

CAPACITY

VC011G

195W


SUCTION POWER

2L

CAPACITY

VC008G

BL HEPA
MOTOR filter



Automatic filter cleaning mechanism
reduce filter clogging to maintain suction power

Aluminium telescope pipe with lock system

prevents the pipe unintentionally coming off



Nozzle Assembly with switch

Switch the nozzle from floor to carpet use by single press



48 mm

Nozzle assembly with swivel type and roller makes it easier to clean even under furniture

(L=590-942mm)



Extended Battery slot for Longer runtime

Only for VC011G, achieved with two parallel XGT battery (machine remains functional using single battery)



40~260
minutes

continuous operation
(using 2 x 5.0Ah XGT battery)

VC008G - Single XGT battery



14~110
minutes

continuous operation
(using single 5.0Ah XGT battery)

Push button power selection controller

4 mode speed selection with mode memory function.
Battery capacity display



LED job light
convenient for operation in dark job sites

HARNESS



The loop on the lower belt can be used for carrying nozzles as illustrated



Comfortable harness allows use for long periods with minimal fatigue

PROTECTION COVER (OPTIONAL)



Safeguards cleaners from knocks and bumps in tight spaces

ONLY FOR VC008G
1911W4-1

VC011G

40V MAX | XGT

Tank Capacity	Paper dust bag: 6.0 L / Cloth dust bag: 5.5 L
Max Suction Power	Mode 1 to 4: 25W / 55W / 100W / 195 W
Max Sealed Suction	20 kPa
Max Air Flow	2.4 m³/min
Continuous Use (min.) (approx.)	Mode 1 to 4: 260 / 130 / 75 / 40 min (with 5.0Ah x2)
Noise (dB)	Mode 1 / 2 / 3 / 4: 55 / 59 / 64 / 68 dB(A)
Dimensions (L x W x H)	336 x 185 x 543 mm (with 5.0Ah x2)
Net weight	5kg (without battery)

VC008G

40V MAX | XGT

Tank Capacity	Paper Dust Bag: 2.0 L / Cloth Dust Bag: 1.5 L
Max Suction Power	Mode 1 to 4: 25W / 55W / 100W / 195W
Max Sealed Suction	18 kPa
Max Air Flow	2.4 m³/min
Continuous Use (min.) (approx.)	Mode 1 to 4: 110 / 55 / 30 / 14 min (with 5.0Ah)
Noise (dB)	Mode 1 to 4: 60 / 63 / 66 / 72 dB(A)
Dimensions (L x W x H)	233 x 150 x 375 mm
Net weight	3.4 kg (without battery)

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY	CHARGER
BARE TOOL	VC011GZ	-	-

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY	CHARGER
BARE TOOL	VC008GZ	-	-

STANDARD ATTACHMENTS

STRAIGHT PIPE WITH LOCK 140G19-0  (Aluminium) (L=590-942mm)	BEND PIPE WITH LOCK 140G26-3 (without sleeve) 127093-3 (with sleeve) (optional) 	FLEXIBLE ANTI-STATIC HOSE 32mm dia x 1.0m length 199453-9 	LONG SASH NOZZLE 198919-6 	NOZZLE ASSEMBLY FLOOR & CARPET WITH SWITCH / SWIVEL 191G86-8 
---	---	---	--	---

STANDARD FILTERS / DUST BAG

ROUND BRUSH 198534-6 (standard with VC008G) 	REUSABLE DUST BAG (1PC) (optional) 197898-5 (VC008G) 191C30-1 (DVC660) 	DISPOSABLE BAGS (10PC) (1pc as standard) 191C26-2 (VC011G) 197903-8 (VC008G) 	HEPA FILTER  191D812-9 (VC011G) 191Y27-2 (VC008G)
--	--	--	--

DVC660 / DVC261

36V (18V X 2) LXT


95W
SUCTION POWER
DVC660

6L
CAPACITY

90W
SUCTION POWER
DVC261

2L
CAPACITY

BL MOTOR **HEPA filter**



Automatic filter cleaning mechanism
reduce filter clogging to maintain suction power



DVC660 - VIDEO

LONGER RUNTIME

achieved with two LXT battery together (machine require two LXT battery to function)



40~140 minutes

continuous operation (using single 5.0Ah XGT battery)

Push button power selection controller

(max/high/normal) with Built-in L.E.D. on the controller illuminates the work area.



PROTECTION COVER (OPTIONAL)



Safeguards cleaners from knocks and bumps in tight spaces

ONLY FOR DVC261
191054-7

Aluminium telescope pipe with lock system

prevents the pipe unintentionally coming off



Extension length 590-942 mm



Thin wide floor nozzle



Access hard to reach spaces and swivel joint with wheels for increased maneuverability



DVC660

18Vx2 LXT

Capacity	Paper dust bag: 6.0 L / Cloth dust bag: 5.5 L
Continuous Use (min.)	Max: 40 / High: 75 / Normal: 140 (with 6.0Ah x2)
Max Air Flow	2.2 m³/min (32mm-1m Hose)
Max Sealed Suction	11 kPa
Max Suction Power	Max / High / Normal: 95 / 50 / 25 W
Vibration Level	Operation w/o Load: 2.5 m/s² or less
Sound Pressure Level	Max: 66 / High: 62 / Normal: 58 dB(A)
Dimensions (L x W x H)	297x174x523 mm
Net weight	6.7 kg

DVC261

18Vx2 LXT

Capacity	Paper Dust Bag: 2.0 L / Cloth Dust Bag: 1.5 L
Continuous Use (min.)	Max: 40 / High: 75 / Normal: 140 (with 6.0Ah x2)
Max Air Flow	2.0 m³/min (28mm-1m Hose)
Max Sealed Suction	11 kPa
Max Suction Power	Max / High / Normal : 90 / 45 / 25 W
Vibration Level	Operation w/o Load: 2.5 m/s² or less
Sound Pressure Level	Max: 69 / High: 65 / Normal: 62 dB(A)
Dimensions (L x W x H)	230x152x373 mm
Net weight	4.5 kg

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY	CHARGER
BARE TOOL	DVC660ZX8	-	-

AVAILABLE VARIANTS

AMPERE	VARIANTS	BATTERIES	CHARGER
W/O BATTERY/CHARGER	DVC261ZX11	-	-

ACCESSORIES

	THIN WIDE NOZZLE (Standard)	SEAT NOZZLE (Standard with DVC660)	TELESCOPE PIPE (Standard)	ROUND BRUSH (Standard with DVC660)	CORNER NOZZLE (Standard)	FLEXIBLE RUBBER NOZZLE (Standard)	FILTER SET ASSEMBLY (Standard)	DUST BAG ASSEMBLY (CLOTH TYPE)	FILTER BAG SET (PAPER TYPE) 10PCS / SET (1pc as standard)	BENDING PIPE with pipe lock (without sleeve)	HOSE (Standard) Durable ø32mm hose 1m length
DVC660											
DVC261	199454-7	199037-3	140G19-0	198878-4	198919-6	197901-2	191D12-9	191C30-1	191C26-2	140G26-3	199453-9
							123636-9	197898-5	197903-8		

Vacuum Sweeper

Designed mainly for use in construction sites or outdoor commercial facilities for cleaning a wide variety of sizes of waste, such as cement powder, wood chips, paper waste, plastic bottles, etc.

650mm
CLEANING WIDTH
with side brush

24L
Dust Container Capacity
47L with optional dust bag

2,600m² / hr
CLEANING CAPACITY



Extended run time
achieved with parallel battery
feature. Automatic battery
switching to next battery if one
battery in use has run out of power

200min
RUNTIME
@ standard mode
with 2 x 8.0Ah XGT battery



TYPE



VS001G - VIDEO

24L
CAPACITY


BL MOTOR **HEPA filter**

650mm
CLEANING WIDTH
with side brush

2,600m² / hr
CLEANING CAPACITY

Powerful Cleaning System with Two Brushless motor

Two Main brushes and along with side brushes equipped with brushless motor to collect large and small debris. Dust collection function with brushless motor reduces flying-up dust captured by these brushes.



Dust Container Capacity: 24L
(47L with optional dust bag)

Large Wheels

Main Brushes Collect Small and Large debris such as 500ml-size plastic bottles



Excellent operating section

Control switches and indicators are located on the control panel of the handle

Cleaning on edge
Side brush allows to clean up the edge of the walls



Switchable Brush Rotation Speed for Quiet operation

(Main Brush / Side Brush)

Standard Mode:

For sweeping a large amount of dust and waste

Quiet Mode:

For cleaning places where quietness is expected such as indoor areas for or a small amount of dust and waste

Height Adjustment

Stepless height adjustment of brush according to amount of dust or road surface



Main Brush height adjustment with dial approx 20mm



Side Brush On / Off lever

Side Brush height adjustment with dial approx 15mm

Filter Cleaning Mechanism with brushed can motor (Electric)

The filter vibrates by pressing filter button to remove dust from the filter to reduce clogging



LED job light

Allow to check for dust or obstacles even in dark places such as warehouses



Excellent Storage Capability

Handle can be folded for upright storage



467 mm
830 mm

Dust and Drip Proof

XPT and IPX4 rated water-resistance construction



XPT
eXtreme Protection Technology

VS001G

40V MAX | XGT

Continuous Use (2 x 8.0Ah)	Quiet mode: 480 min / Standard: 200 min
(2 x 5.0Ah)	Quiet mode: 290 min / Standard: 120 min
Dust Container Capacity	24 L
Dust Collection Volume	15.6 L
Cleaning Width	Main Brush: 480 mm, Side brush: 650 mm
Dimensions (L x W x H)	830 x 677 x 1,146 mm
Net Weight	29.3 kg (w/o Battery)

AVAILABLE VARIANTS

AMPERE	VARIANTS	BATTERIES	CHARGER	MAKPAC STACKING CASE
W/O BATTERY/CHARGER	VS001GZ	0	0	-

Anti-Restart
 Electronic 2-Speed
 Constant Speed
 Dust Collection
 Built-in Job Light
 Tool-less Blade Change

ACCESSORIES

Multi Adapter Set (Part No. 1913F5-2)

- Allows to install MAKPAC case and Power Pack Units
- MAKPAC - convenient for storing cleaning accessories
- Power Pack units - for longer runtime (PDC01 / PDC1200 / PDC1500)



Cloth Dust Bag Set (Part No. 1913F7-8)

- Capacity: 47L
- Suitable for collecting bulky waste such as fallen leaves
- Can be reused



Hepa Filter SET 191D12-9



Main Brush Set 1830S5-9



Side Brush 1830S6-7



Robotic Vacuum

Makita's Intelligent Robotic Cleaner powered by 18V LXT battery. Designed to automatically clean large spaces in commercial applications. Innovative robotic guidance technology guarantees reliable task automation and increases productivity



DRC300 - VIDEO

3.0L
CAPACITY



ROBOPRO



Automatic
return

Save up to **5** rooms
totaling over 10,000m²

MAPPING USING LiDAR sensor (2D) and Camera sensor



LIDAR sensor

LiDAR Module
Grasping and mapping the two-dimensional shape of rooms with a rotating laser displacement gauge

+

CAMERA sensor

Vision camera
Grasping the characteristic shape of ceilings and walls, and memorizing them by connecting them with the self-location of the Robotic cleaner to increase mapping precision



SMARTPHONE APP: MAKITA ROBOPRO DRC300

- Cleaner can also be controlled either directly by the unit or via the Smartphone app for mapping and programming
- Cleaner App provides cleaning history information including date, time, percent completed and total coverage (recent 15 history can be viewed)



Download on the
App Store
<http://apps.apple.com/app/id1557615107>



GET IT ON
Google Play
<https://play.google.com/store/apps/details?id=com.makita.cleanbotmanager>



Runs with two batteries parallelly

When the first battery is depleted, the machine automatically switches to the second battery

Clean about

about 600m² with two 18V LXT 6.0Ah batteries in 240 minutes

Dust Box with 3.0L capacity

Easily accessible large dust box ensures ample capacity for commercial applications



Dual compartment structure for small and large debris

Large Side brush + power brush

Side brushes enable to clean alongside walls, around obstacles or tight corners



Free Cleaning Mode

In "Free cleaning" mode, cleaning can be started immediately without registering room information

Obstacle detection

with six ultrasonic sensors, one bumper sensor, and one LiDAR sensor (2D)



Remote Control

Allows the user to control some of the key features from a distance (standard)

Magnetic Tape

laid on the floor prevents the cleaner from entering in cleaning prohibited areas



DRC300

18V LXT

Continuous Use	240 min (with 6.0Ah x 2)
Max cleaning area	600 m ² (with 6.0Ah x 2)
Max running speed	0.3 m/sec
Rotation speed of main brush / side brush	1,600 rpm / 200 rpm
Dust Box Capacity	3.0 L
Dimensions (LxWxH)	500 x 500 x 204 mm
Net Weight	9.24 kg (without batteries)

AVAILABLE VARIANTS

AMPERE	VARIANTS	BATTERY / CHARGER
W/O BATTERY/CHARGER	DRC300Z	-

ACCESSORIES

Side Brush Assembly Set

Part No. 191P28-6 (standard)
Part No. 191P26-0 (for tatami mats, etc.)



Main Brush Complete Set

Part No. 191P22-8 (standard)



Part No. 191P20-2 (for tatami mats, etc.)



Bottom Plate Assembly Set

Part No. 191P24-4 (standard)



Filter H Complete Set

Part No. 191P31-7 (standard)



Sponge Sheet Set

Part No. 191X35-7
Sponge part to be attached to bumper for protection of surrounding objects from damage



Magnetic Tape (5m)

Double sided
Part No. 191P18-9 (standard)



2.5L
CAPACITY



ROBOPRO

Cruise Mode functionality combined with multiple detection sensors allow the robotic Vacuum to efficiently navigate and perform complete coverage of floor space



PATTERN MODE

For cleaning wide spaces with fewer obstacles, like warehouses, or long corridors



RANDOM MODE

For cleaning spaces with many obstacles, like office spaces or gyms

Dust Box with 2.5L capacity

Easily accessible large dust box ensures ample capacity for commercial applications



Dual compartment structure for small and large debris

Large Side brush + power brush

Side brushes enable to clean alongside walls, around obstacles or tight corners




upto 200 minutes

On hard floors in "Main Brush plus Vacuum" mode using two 18V LXT 5.0Ah batteries

Runs with two batteries parallelly

When the first battery is depleted, the machine automatically switches to the second battery



Clean about 2-1/2 tennis court


about 500m² with two 18V LXT 5.0Ah batteries

Boundary line tape

Boundary line mode prevents the vacuum from traveling into unwanted zones when a boundary tape line is placed



(15m roll)



Remote Control Allows the user to control some of the key features from a distance (standard)

DRC200

18V LXT

Continuous use (minutes) 120min (with 3.0Ah x 2) / 200min (with 5.0Ah x 2)

Max cleaning area 300m² (with 3.0Ah x 2) / 500 m² (with 5.0Ah x 2)

Max running speed 0.3 m/sec

Tank 2.5L

Dimensions (L x W x H) 460x460x180mm

Net weight 7.8kg

AVAILABLE VARIANTS

AMPERE	VARIANTS	BATTERIES	CHARGER
W/O BATTERY/CHARGER	DRC200Z	0	0

ACCESSORIES

Wireless remote Help you locate the Robotic Cleaner Part # SH00000219 (Range 20m) (Standard)



Boundary Tape Part # SH00000231 (15m Roll) (Standard)



Power Brush Part # SH00000063 (brush cover Part # SH00000064) (Standard)



Side Brush Part # SH00000065 (Standard)



Filter Part # SH00000213 (Standard)



Portable Vacuum

Versatility meets compact design with Makita Cordless Compact Vacuums. Ideal for commercial and residential use. Makita offers compact cordless solutions for fast and efficient cleaning, without compromising on performance. Available in LXT and CXT ranges.



DCL184

18V LXT

38W
SUCTION POWER

0.5L
CAPACITY



FOR CAR INTERIOR

CL121D

12V MAX CXT

28W
SUCTION POWER

0.5L
CAPACITY



FOR CAR INTERIOR



DCL184 / CL121D - VIDEO



3-speed and off push buttons for operator convenience

L.E.D. battery charge warning light on vacuum indicates when to recharge battery

Storable flexible hose
Unfolded hose may catch your foot and cause personal injury



Blowing out dust and debris are easy with blower attachment



Convenient for cleaning air conditioner vents



For cleaning bottom corners such as a door pocket or console box between seats



Ideal for removing fine dust such as lint or hair from car seat



Helps raking out sand grains



DCL184

18V LXT

Capacity Dust Bag	Cloth / Paper: 500 / 330 mL
Continuous Use(min.)	Max / Hi / Lo: 33 / 50 / 133 (with 6.0Ah)
Max Air Flow (m³/min)	Cleaning: 1.4 Blowing: 0.8
Max Air Velocity	Blowing: 7.2 m/s
Max Sealed Suction	5.4 kPa
Vibration Level	0.4 m/s²
Noise Level dB(A)	Max / H / L: 68 / 65 / 58
Dimensions (L x W x H)	365x138x202 mm
Net weight	2.2 kg

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY	CHARGER	CASE
BARE TOOL	DCL184Z	-	-	-
WITH KIT	DCL184RF	1pc 3.0Ah	Fast Charger	Tool bag

CL121D

12V MAX CXT

Capacity Dust Bag	Cloth / Paper: 500 / 330 mL
Continuous Use(min.)	Max / Hi / Lo: 27 / 32 / 67 (with 4.0Ah)
Max Air Flow (m³/min)	Cleaning: 1.3 Blowing: 0.7
Max Air Velocity	Blowing: 5.6 m/s
Max Sealed Suction	4.6 kPa
Vibration Level	0.89 m/s²
Noise Level dB(A)	Max / H / L: 68 / 67 / 61
Dimensions (L x W x H)	345x138x202 mm
Net weight	1.8 kg

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY	CHARGER	CASE
BARE TOOL	CL121DZ	-	-	-
WITH KIT	CL121DSM	1pc 4.0Ah	Fast Charger	-

STANDARD ATTACHMENTS

MAT NOZZLE 120
459056-4



SEAT NOZZLE 120
140H95-0



RUBBER NOZZLE 330
422437-5



SOFT BRUSH 360
140H94-2



BLOWER ATTACHMENT
140J64-3



PAPER FILTER SET
5pcs/set
194566-1
(optional)



50W
SUCTION POWER

7.5L
CAPACITY

BL MOTOR **HEPA filter** **XPT**



DVC750 - VIDEO

High power and long run time with Brushless Motor



Blower outlet Insert the hose to blower outlet and turn it clockwise until it clicks



Easy disposal



Nozzle and hose storage



Elastic Hose: 28mm -2m with from cuff 38



CONNECT WITH POWER TOOLS WITH OPTIONAL ATTACHMENTS

DVC750L

18V LXT

Capacity	Dust : 7.5 L / Water 4.5 L
Continuous Use (min.)	(High) : 35 / (Low) : 70 (with 6.0Ah)
Max Air Flow	1.6 m ³ /min
Max Sealed Suction	6.7 kPa
Suction Power	High / Low : 50 / 25 W
Dimensions (L x W x H)	418x251x278 mm
Net weight	4.6 kg

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY	CHARGER
BARE TOOL	DVC750LZX1	-	-

Note- use wet filter for WET applications

STANDARD ATTACHMENTS

NOZZLE ASSEMBLY
458891-7



SASH NOZZLE
458919-1



HOSE COMPLETE
28-2.0m with front cuff 38
140G04-3



FILTER COMPLETE (HEPA FILTER)
162518-0



PRE FILTER AND DAMPER SET
199827-4
(Dry only)



PRE FILTER



162635-6

DAMPER
422449-8



WET FILTER SET
191M39-3 (optional)



SHOULDER BELT
199486-4 (optional)



Drum Type Vacuum

Large capacity vacuum cleaner for industrial and commercial use.
Select from different capacity options based on your cleaning job needs



350W
SUCTION POWER

40L
CAPACITY

BL MOTOR **XPT HEPA filter**

Wet and Dry Cleaning

With the optional **FILTER FOR WATER SET**, the cleaner has the capacity to suction up to **30 liters** of water. Dry dust cleaning is achievable upto **40L** with the standard cloth filter.

Runtime
25~80minutes
continuous operation
(using 2 x 5.0Ah XGT battery)



Variable suction power control by dial



Water can be drained by opening the cork

Large rear wheels

Automatic self-cleaning filter system with twin filters

Automatically removes dust adhering to filter even in continuous use, reducing clogging of the filter to suppress decrease in suction power



Efficient three stages Hepa filter captures 99.97% of particulates 0.3 microns and larger

IPX4 High water-resistance allows to operate the machine even if it is wet with water

Extreme Protection Technology (XPT)
Enhanced Dust and Drip-proof performance ensures reliable operation even under bad weather

Makpac can be connected to the vacuum top head to store power tools and accessories



On board storage allows for storing accessories and batteries



VC007GL

40V MAX | XGT

Type	Wet / Dry (AWS)
Filter	HEPA + GYUPPA
Tank Capacity	Dust / Water: 40 / 30 L
Max Suction Power	High: 350W
Max Sealed Suction	3.7 m³/min
Max Air Flow	18 kPa
Continuous Use (min.) (aprox.)	25-80 (5.0Ah x 2)
Noise (dB)	69 dB(A) or less
Dimensions (L x W x H)	586 x 385 x 598 mm
Net weight	16.9 kg (without battery)

STANDARD ATTACHMENTS

STRAIGHT PIPE
192563-1



BEND PIPE
192562-3



HOSES
Hose 1: 38-2.5m (195434-1)



FRONT CUFFS
22 (195548-6)
24 (195546-0)
38 (195545-2)



CORNER NOZZLE
410306-2



FLOOR NOZZLE DRY
199455-5



AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY / CHARGER
BARE TOOL	VC007GLZ	-

VC003GL (WET/DRY) / VC004GL (DRY) / VC005GL (DRY)

40V MAX XGT

310W
SUCTION POWER

15L
CAPACITY

VC003GL

205W
SUCTION POWER

15L
CAPACITY

VC004GL

265W
SUCTION POWER

8L
CAPACITY

VC005GL

BL MOTOR XPT

Wet and Dry Cleaning (only for VC003GL)

VC003GL : With the optional FILTER WATER SET, the cleaner has the capacity to suction up to **12 liters of water**. Dry dust cleaning is achievable upto **15 liters** with the standard cloth filter.

VC004GL is 15L capacity and VC005GL is 8L capacity cleaners used only for dry dust suction)



VIDEO

Durable aluminium telescopic pipe with locking mechanism that prevent from falling off

(L=590-942mm)

Flexible Anti-Static Hose High quality materials for longer life. 32mm Dia - 1.7m length

On board storage allows for storing accessories and batteries

Variable suction power control by dial



Wheels with caster stopper



Parallel battery function achieves longer runtime

Vacuum Cleaner adapts two XGT battery that works parallel. Cleaner automatically switches to the second battery when the first battery runs out




28~220minutes

continuous operation
(using 2 x 5.0Ah XGT battery)
For model VC003GL / VC005GL

IPX4 High water-resistance allows to operate the machine even if it is wet with water

Extreme Protection Technology (XPT) Enhanced Dust and Drip-proof performance ensures reliable operation even under bad weather

Nozzle Assembly with switch convert the nozzle from floor to carpet use



Nozzle assembly with swivel type and roller makes it easier to clean even under furniture

VC003GL 40V MAX | XGT

Type	Wet / Dry
Filter	Cloth Filter
Tank Capacity	15 L / 12 L
Max Suction Power	High: 310W
Max Sealed Suction	23 kPa
Max Air Flow	3.2 m ³ /min
Continuous Use (min.)	28-220 min. (5.0Ah x 2 parallel)
Noise (dB)	67 dB(A)
Dimensions (L x W x H)	366x334x475 mm
Net weight	7.7 kg (without battery)

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY / CHARGER
BARE TOOL	VC003GLZ	-

VC004GL 40V MAX | XGT

Type	Dry (AWS)
Filter	HEPA + GYUPPA
Tank Capacity	15 L
Max Suction Power	High: 205W
Max Sealed Suction	23 kPa
Max Air Flow	1.8 m ³ /min
Continuous Use (min.)	28-220 (5.0Ah x 2 parallel)
Noise (dB)	67dB(A)
Dimensions (L x W x H)	366x334x475 mm
Net weight	7.9 kg (without battery)

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY / CHARGER
BARE TOOL	VC004GLZ	-

VC005GL 40V MAX | XGT

Type	Dry
Filter	Filter cage + Cloth filter
Tank Capacity	8 L
Max Suction Power	High: 265W
Max Sealed Suction	23 kPa
Max Air Flow	2.8 m ³ /min
Continuous Use (min.)	28-220 min. (5.0Ah x 2 parallel)
Noise (dB)	66dB(A)
Dimensions (L x W x H)	366x334x397 mm
Net weight	7.2 kg (without battery)

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY / CHARGER
BARE TOOL	VC005GLZ	-

STANDARD ATTACHMENTS FOR VC003GL / VC005GL

(Note standard attachments for VC004GL are same as VC007GL)

STRAIGHT PIPE
140G19-0



BEND PIPE
140G26-3



HOSES
32-1.7m
(199493-7)



LONG SASH NOZZLE
198919-6



FLOOR & CARPET NOZZLE WITH SWITCH / SWIVEL DRY
191G86-8



DVC150L (WET / DRY)

36V (18V X 2) LXT / AC

AC/DC	320W _(AC) SUCTION POWER	70W _(DC) SUCTION POWER	15L CAPACITY
-------	---------------------------------------	--------------------------------------	-----------------

Versatile Use: Thanks to 2 different Power Sources
Provides easy maneuverability anywhere you need cleaning



Runtime
36~78minutes
continuous operation
(using 2 x 6.0Ah LXT battery)

Wet and Dry Cleaning

With the optional **FILTER FOR WATER SET**, the cleaner has the capacity to suction up to 30 liters of water. Dry dust cleaning is achievable with the standard cloth filter.

Variable suction power control by dial

On-board storage for accessories

Caster stopper

DVC150L

18Vx2 LXT

Tank Capacity	Dust / Water: 15 / 12 L	
Max Suction Power	320W (AC)	70 W (DC)
Max Sealed Suction	24kPa (AC)	9kPa (DC)
Max Air Flow	3.6 m ³ /min (AC)	2.1 m ³ /min (DC)
Continuous Use (min.) (aprox.)	36-78 mins (With 2 x 6.0Ah) (DC)	
Noise (dB)	75 dB(A) (AC)	64 dB(A)
Dimensions (L x W x H)	366x334x368 mm	
Net weight	8.6 kg	

STANDARD ATTACHMENTS

STRAIGHT PIPE 192563-1	BEND PIPE 192562-3	HOSES Hose 1: 38-2.5m (195434-1)	CORNER NOZZLE 410306-2	FLOOR NOZZLE (WET & DRY) 195551-7
----------------------------------	------------------------------	--	----------------------------------	---

AVAILABLE VARIANTS

TYPE	VARIANT	BATTERY / CHARGER
BARE TOOL	DVC150LZ	-

VC2000L (WET / DRY)

AC POWER

1,000W
SUCTION POWER

20L
CAPACITY

DOMESTIC & COMMERCIAL USE

High Performance Cleaning Removes 99% of dust particles

Push & Clean semi-automatic filter cleaning system for extended operating time and longer filter lifetime



Blower Function

Blowing can be done by fixing the hose in the inlet located at rear side of the cleaner



The robust plastic container comes with 2 wheels and 2 castors for excellent stability and mobility

VC2000L

Continuous rating Input	1,000W
Max. peak air flow	3.6 m ³ /min
Max. sealed suction	21.0 kPa
Tank capacity	Dust : 20L / Water : 13L
Noise sound pressure	72 dB(A)
Dimensions (L x W x H)	390x385x505 mm
Net weight	7.5kg
Power supply cord	5.0m (Double Insulation)

ATTACHMENTS

Suction hose
ø32x3.5m
with hand tube
P-81739
(standard)

Extension Pipes
36 x 520mm
(Black - 2pcs set)
P-72942

Upholstery
Nozzle
W000014295

Floor and Matt
Nozzle
W107402706
(standard)

Crevice nozzle
W000029541

Hand tube
W107413340

Pipe holder
W107409979
(standard)

Filter bag (5pcs)
P-72899

Disposable bag (5pcs)
P-70297

Filter
P-70219
(standard)

VC3211H / VC3210L (WET/DRY)

WITH HIGH CLASS FILTER

AC POWER

1,050W
SUCTION POWER

32L
CAPACITY

Power Control

Switch ON/OFF
Variable control by dial
AC socket for connecting corded tools

Locking System

Durable latch of plate steel with elastomer lock lever for easy locking/unlocking operation

Wheel Stopper

Ensures the stability of the vacuum



Convenient Storage
allocated spaces for storing accessories

Durable stainless steel tank
(32L capacity)

Large rear wheels for easy mobility and stability



VC3211H X1 (HIGH CLASS FILTER)

Automatic Self-cleaning Filtration System achieved by two filter units

Constantly high suction power throughout operation because dust is removed from Prefilters every ten seconds during operation.



Continuous rating input	1,050W
Max peak air flow	2.0 m ³ / min
Max Sealed Suction (water column)	22.0 kPa
Tank capacity	Dust : 32 L / Water : 27 L
Dimensions (L x W x H)	552x398x685 mm
Net weight	16.9 kg
Power supply cord	5.0 m

Standard Equipment: Hose, Front Cuffs (22, 24, 38), Belt Hook, Hose Band, Cap, Poly bag set

VC3210LX1

Automatic Self-cleaning Filtration System achieved by triple filter units

(Powder filter + Damper + Prefilter)



When the power is switched on, Prefilter collapses into itself to compress Damper, and fits closely over Damper and Powder filter.

When the power is switched off, Damper expands back to its original size and shakes off dust from Prefilter automatically with its expanding power.

Continuous rating input	1,050W
Max peak air flow	2.0m ³ / min
Max Sealed Suction (water column)	22.0kPa
Tank capacity	Dust : 32L / Water : 27L
Dimensions (L x W x H)	552x398x685mm
Net weight	14.5kg
Power supply cord	5.0m

Standard Equipment: Hose, Front Cuffs (22, 24, 38), Belt Hook, Hose Band, Cap, Poly bag set

STANDARD ATTACHMENTS

STRAIGHT PIPE
192563-1



BEND PIPE
192562-3



HOSES
Hose 1: 38-2.5m (195434-1)

Hose 2: 28-3.5m (195433-3)



FRONT CUFFS
22 (195548-6)
24 (195546-0)
38 (195545-2)



CORNER NOZZLE
410306-2



FLORR NOZZLE WET/DRY
195551-7



DUST BAG
195440-6
10PCS



DRUMTYPE VACUUM ATTACHMENTS

● Standard ○ Suitable

Type A
Cuffs can be
detachable









Type B
fixed cuff



Type C
with sleeve



PART #	DIA (mm)	CUFF TIP SIZE (mm)	LENGTH (m)	Type	VC3210L VC3211H VC007GL VC004GL	DVC157L DVC154L DVC864L	DVC150L DVC860L	VC003GL VC005GL
A-34235	28mm	22, 24, 38	1.5m	A	○	○	○	○
195437-5	28mm	22, 24, 38	2.5m	A	○	○	○	○
195433-3	28mm	22, 24, 38	3.5m	A	●	●	○	○
195436-7	28mm	22, 24, 38	5.0m	A	○	○	○	○
199453-9	32mm	28	1.0m	C				○
199493-7	32mm	28	1.7m	C				●
199388-4	38mm	28	1.5m	C				○
198757-6	38mm	38	1.5m	B	○	○	○	○
195434-1	38mm	38	2.5m	B	●	○	●	○
195435-9	38mm	38	5.0m	B	○	○	○	○

PIPES PART #	CUFF TIP SIZE (mm)			VC3210L VC3211H VC007G VC004G	DVC157L DVC154L DVC864L	DVC150L DVC860L	VC003GL VC005GL
192563-1 192562-3	38mm	Straight Pipe  Bend Pipe 	970mm	●	●	●	
1912G4-5 1912G5-3	38mm	Telescopic Pipe  Bend Pipe 	790 - 1140mm	○	○	○	
140G19-0 140G26-3	28mm	Teselecopio Pipe  Bend Pipe 	780 - 1130mm				● ●

38mm cuff tip attachments

COLOR CODE: IVORY SNOW-WHITE BLUE BLACK GREY

Round brush

● 191657-9



Long sash nozzle

● 458919-1
○ 410306-2



Upholstery Nozzle

● 458891-7



Nozzle ASSEMBLY FLOORING & CARPET (DRY) WITH SWITCH

○ 198184-7



FOR FLOOR (WET/DRY)

○ 195551-7



COMPACT NOZZLE FOR FLOOR

○ 195549-4 (DRY)



● 195550-9 (WET)



WIDE NOZZLE FOR FLOOR (WET)

○ A-47846



NOZZLE FOR FLOOR (DRY)

● 199455-5



Cleaning set

195439-1

Straight pipe, Bend pipe, Nozzle assembly, Corner nozzle, 38mm Hose - 2.5m with cuff 38mm

For model VC007GL, VC004GL, VC005GL, VC003GL, DVC154L, DVC157L, DVC150L, DVC864L, DVC860L, VC3210LX1, VC3211HX1



High Pressure Washers

In varying sizes, suitable for domestic, commercial and industrial use, Makita's high pressure washers are a quick cleaning solution



11.5 MPA
MAX. PERMISSIBLE
PRESSURE

BL MOTOR IPX5

High washing power similar to 120 bar corded models

Self Priming Function

Water can be supplied not only from faucet but also from water reservoirs, such as poly tanks, large buckets, using this function

Max Suction Height : 1m
Minimal Water Level : 15m
No need to operate drain valve




Telescopic Handle

For easy transportation and storage



Good Mobility and Transportability

Equipped with $\varnothing 140\text{mm}$ wheels, allowing for good mobility even on bumpy road surfaces



Adjustable pressure function with 3 modes for wide range of cleaning applications



Longer run time is achieved with parallel battery function



IPX5

Rated For Air and Water Resistance

High and optimal balance between discharge pressure and water flow allows effective cleaning of both hard to remove dirt and delicate dirt with ease (All the below values mentioned are with Variospray Nozzle and TWO 40v max XGT 5.0Ah batteries)

Mode	Regular Pressure	Regular Flow Rate	Continuous Use (approx)	Applications
Mode 1	3.0 (MPa)	3.0 (L/min)	60 min.	Light washing work
Mode 2	5.5 (MPa)	4.2 (L/min)	30 min.	Washing of vehicles, farm equipment, etc.
Mode 3	8.5 (MPa)	5.5 (L/min)	18 min.	Washing of building exterior, etc.



HW001G

40V MAX | XGT

VARIANTS

HW001G Z

BATTERY / CHARGER

-

Max. Flow Rate	7.0 L/min
Regular Flow Rate	Mode 1/ 2/ 3: 3.0/ 4.2 / 5.5 L/min
Max Permissible Pressure	11.5 MPa
Regular Pressure	Mode 1/ 2/ 3: 3.0/ 5.5 / 8.5 MPa
Max Feed Temperature	40 °C
Max Suction Height	1 m
Max Run Time	w/ BL4050F x2: Mode 1/ 2/ 3: 60/ 30/ 18 min
Hose Length	5 m
Noise level	84 dB(A)
Dimensions (LxWxH)	334 x 383 x 520mm
Net weight	8.5 kg (without battery)

8 MPA
MAX. PERMISSIBLE
PRESSURE



High washing power similar to 80 bar corded models

Self Priming Function


Water can be supplied not only from faucet but also from water reservoirs, such as poly tanks, large buckets, using this function

Max Suction Height : 1m
Minimal Water Level : 15m
No need to operate drain valve



Suction tank function + storability

Supplied with a storage case that can also be used as a water tank with a capacity of approx. 50L



Store water

Store Accessories

Attached to Makpac case



High Pressure Washer


Storage tank



High/ Low 2-pressure selection for wide range of cleaning applications

Good Mobility and Transportability

Transportable with the machine body stored in the tank



Longer run time is achieved with two LXT battery

WETGUARD

High water-resistance allows to operate the machine even if it is wet with water

All the below values mentioned are with Variospray Nozzle and TWO 18V LXT 6.0Ah batteries

Mode	Regular Pressure	Regular Flow Rate	Continuous Use (approx)	Applications
Low	3.0 (MPa)	4.2 (L/min)	34 min.	Wash door and Window screens, Sprinkle water
High	5.5 (MPa)	5.5 (L/min)	15 min.	Clean cars or Agricultural machinery

DHW080

18Vx2 LXT

Max Permissible Pressure	8.0 MPa
Working Pressure	High / Low: 5.5 / 3.0 MPa
Max Feed Volume	6.3 L/min
Water Flow Rate	High / Low: 5.5 / 4.0 L/min
Max Feed Temperature	40 °C
Max Suction Height	1 m
Max Run Time (min)	w/ BL1850B x2: High / Low : 12.5 / 28
Hose Length	5 m
Dimensions (L x W x H)	438x218x269 mm
Net weight	7.7 kg

VARIANTS	BATTERY / CHARGER	STORAGE TANK
DHW080 PT2	2pcs of 18V, 5.0Ah Li-ion batteries 1pc (Two Port Charger)	YES (50l)
DHW080 Z	-	YES (50l)

Standard Equipment: Trigger Gun, High Pressure Hose 5m, Suction Hose, Storage Box, Variospray Lance, Variable Nozzle, Absorption Connector, One Touch Joint.

HW101

10MPA (100 BAR)

Designed for individual use for the cleaning of vehicles, machines, boats, masonry, etc., to remove stubborn dirt using clean water and biodegradable chemical detergents.



Motor type	Universal
Continuous rating input	1,300W
Max pressure	10 Mpa (100 bar)
Max Flow rate	360 L/h
Max feed temperature	50°C
Hose length	3 m
Dimensions (L x W x H)	190x180x430 mm
Net weight	6.5 kg
Power supply cord	5.0 m

Standard Equipment: Hose, Gun and lance, Detergent bottle

HW1200

12MPA (120 BAR)

Lightweight and compact, middle class power washers for home use. Ideal for routine cleaning work (car, motorcycle, garden furniture)



Motor type	Series
Continuous rating input	1,800W
Max Pressure	12 MPa (120 bar)
Max Flow Rate	420 L/h
Max feed temperature	40°C
Hose Length	10 m
Dimensions (L x W x H)	292x358x830 mm
Net weight	11.0 kg
Power supply cord	5.0 m

Standard Equipment: Trigger Gun, Vario-Power Spray Lance, Cyclone jet nozzle, Detergent Bottle, Cleaner Pin, Coupling Sleeve, High Pressure Hose 10 m, Water Hose Connector, Foam Nozzle, Connector

HW1300

13MPA (130 BAR)

Lightweight and compact, middle class power washers for home use. Ideal for routine cleaning work (car, motorcycle, garden furniture)



Motor type	Series
Continuous rating input	1,800W
Max Pressure	13 MPa (130 bar)
Max Flow Rate	420 L/h
Max feed temperature	40°C
Hose Length	10 m
Dimensions (L x W x H)	292x358x830 mm
Net weight	12.7 kg
Power supply cord	5.0 m

Standard Equipment: Trigger Gun, Vario-Power Spray Lance, Cyclone jet nozzle, Detergent Bottle, Cleaner Pin, Coupling Sleeve, High Pressure Hose 10 m, Water Hose Connector, Foam Nozzle, Connector

HW131

13MPA (130 BAR)

For sophisticated cleaning tasks at farms, in landscaping and other professional applications. Compact design, large operating range and efficient cleaning performance



Motor type	Induction
Continuous rating input	2,300W
Maximum Pressure	13 MPa (Max 130 bar)
Maximum Flow	500 L/hr
Max feed temperature	60°C
Hose Length	15m
Power supply cord	5.0m
Net Weight	33kg

Standard Equipment: Gun and Lance with Hi/Low and Pencil/fan Adjustable Nozzle, Rotopower Turbo Lance, On Board Detergent Tank, Pressure Gauge, Triplex Plunger, Pump with Connecting Rod System.

HW151

15MPA (150 BAR)


High end product for sophisticated cleaning tasks at farms, in landscaping and other professional applications. Compact design, large operating range and efficient cleaning performance




Motor type	Induction
Continuous rating input	2,500W
Max pressure	15 MPa (150 bar)
Max flow	500 L/hr
Max feed temperature	50°C
Hose length	10m
Power supply cord	5.0m
Net weight	26.9kg

Standard Equipment: Gun (metal type), adjustable spray lance and Detergent head


POWER WASHER - ACCESSORIES



Cyclone Jet Nozzle Set
Part No. **197824-4**
(standard equipment)
A spiral jet is ejected. Suitable for removing stubborn dirt.



Cyclone Guard Set
Part No. **197864-2**
Reduces splash back when cleaning corners with the cyclone jet nozzle.




Variospray Nozzle Ext. Set
Part No. **1912Y5-9 (HW001G)**


Nozzle Part No. 1912Y4-1
Jet pressure can be adjusted by rotating the nozzle.

Part No. 191U88-8 (OTHER MODELS)

Nozzle Part No. 191U86-2
Jet pressure can be adjusted by rotating the nozzle.




Variospray Lance Set
Part No. **1912Y6-7 (HW001G)**
Part No. **197876-5 (OTHER MODELS)**
Jet pressure can be adjusted by rotating the nozzle.




Foam Nozzle Set
Part No. **1912Y2-5 (HW001G)**
New foam nozzle with improved foaming performance.
Detergent can be sprayed as foam.


Part No. 197886-2 (OTHER MODELS)



Wash Brush Set
Part No. **197828-6**
A nozzle equipped with a brush. Useful for washing out dirt while scrubbing with brush.




Rotating Brush Set
Part No. **197831-7**
Three brushes inside rotate slowly when ejecting the jet. Suitable for cleaning light dirt on an exterior wall, car body, bath tub, etc.




Under body Spray Lance Set
Part No. **197859-5**
(for 110V-127V)
An extra long spray lance with angled nozzle. Best for cleaning hard-to-reach areas such as car under body and roof gutter


Part No. 198909-9
(for 220V-240V)



Pipe Cleaning Hose
Part No. **197837-5 (10m)**
Part No. **197840-6 (5m)**
For cleaning and unclogging plumbing and downpipes




Extension Pipe Set
Part No. **197870-7**
Pipes to extend the length of the trigger gun. Three different lengths are available by changing the number of the pipes to be used.




Accessory Joint Set
Part No. **197853-7**
A joint to connect with a compatible nozzles from other power washer models




Trigger Gun Set
Part No. **197842-2**
(standard equipment)




High Pressure Hose
Part No. **126766-5**
(standard equipment)
Length: 5m




High Pressure Extension Hose
Part No. **197845-6 (5m)**
Part No. **197847-2 (8m)**
Part No. **197850-3 (10m)**




Twist Prevention Joint Set
Part No. **197867-6**
Prevents the high-pressure hose from being twisted.




Extension hose to connect the high pressure washer body with the trigger gun



Absorption Connector Set With Filter
Part No. **122F22-7 (HW001G)**
Part No. **197881-2 (OTHER MODELS)**



Hose Assembly Set
Part No. **1910R1-6**
Length: 3m




One Touch Joint Set
Part No. **197883-8**

WITH TAP




WATER RESERVOIR




Strainer Assembly Set
Part No. **1910R2-4**


A strainer assembly to supply water from a tank or reservoir. Use the hose assembly to connect to this product.

Trolley - able to stack on for easy loading
Part No. **TR00000002 (DHW080)**











Cleaner pin set
Part No.: **197879-9**






Shoulder Belt
199486-4 (DHW080)




LI-ION BATTERY & CHARGING TIME REFERENCE, COMPATIBILITY CHART

		Fast Charging DC40RA 	Fast Charging DC40RB 	DC40WA 	Fast Charging DC40RA + ADP10 (191C11-5) Compatible with LXT Li-Ion batteries 	DC18RC 	Fast Charging DC18RD 	DC18SF 	DC18SE (Automotive) 
110 - 120 (2PIN TYPE)		191E05-2	191N05-6	1911L6-0		195582-6			194621-9 (compatible with 12V/ 24V DC cigarette lighter socket)
220 - 240 (2PIN TYPE)		191E13-3	191N11-1	1911L8-6		195584-2	196933-6		
220 - 240 (3PIN TYPE)		191E14-1	191N13-7	1911M2-5		197378-1	196940-9	196427-1	
XGT  40Vmax Lithium-ion	8.0Ah BL4080F 191X10-A	76min.	420min.						
	5.0Ah BL4050F 191LEV-A	50min.	260min.						
	4.0Ah BL4040F 191-M1-A BL4040 191B11-1	45min.	210min.						
	2.0Ah BL4020 191L19-1	22min.	110min.						
LXT  18V Lithium-ion	6.0Ah BL1860B 19V611-E			40min.	55min.	130min. 1 to 2 batteries	260min. 3 to 4 batteries	130min.	
	5.0Ah BL1850B 19V71-A			35min.	45min.	110min.	220min.	110min.	
	3.0Ah BL1830B 19V011-0			22min.	22min.	60min.	120min.	60min.	

	Fast Charging DC10SB 
110 - 120 (2PIN)	197435-5
220 - 240 (2PIN)	198576-0
220 - 240 (3PIN)	198433-2

CXT  12Vmax Lithium-ion	4.0Ah BL1041B 19VE-1-1	60min.
	2.0Ah BL1021B 19V111-1	30min.

	AC ADAPTER DC1002 
2PIN	191L80-0
3PIN	191L84-2


12Vmax Li-ion (In-built Battery BL1020V) For model: CL117FD	2.0Ah 191R11-1	120min.
--	-------------------	---------

POWER SOURCE KIT

A combination of Makita 18V Li-ion Batteries and Charger in a Makpac connector case with moulded inlay.

Makita owns the world's largest cordless tool line-up with one battery fits all tool system. Makita Tools are offered with and without battery & charger. Now pick up the Makita Power source kit, then purchase the "bare tools" and you get the job done.

It's an ideal way to start building a Makita cordless tool line-up. Users who preowned "Tool only version" (i.e. Tool without battery and charger) can benefit with this power source kits.



XGT-PSK 8.0Ah

Part no	BATTERY				CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
1910A4-1	BL4080F	40V MAX	8.0Ah	2pcs	DC40RB	40V MAX	2	3	1pc	Type 3

XGT-PSK 5.0Ah

Part no	BATTERY				CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
191V43-6	BL4050F	40V MAX	5.0Ah	2pcs	DC40RA	40V MAX	1	3	1pc	Type 3
191U21-0	BL4050F	40V MAX	5.0Ah	2pcs	DC40RB	40V MAX	2	3	1pc	Type 3
191U22-8	BL4050F	40V MAX	5.0Ah	2pcs	DC40RB	40V MAX	2	2	1pc	Type 3

XGT-PSK 4.0Ah

Part no	BATTERY				CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
191K03-2	BL4040	40 MAX	4.0Ah	2pcs	DC40RA	40V MAX	1	3	1pc	Type 1

LXT-PSK 6.0Ah

Part no	BATTERY				CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
198082-5	BL1860B	18V Li-ion	6.0Ah	2pcs	DC18RD	18V Li-ion	2	3	1pc	Type 3
198108-3	BL1860B	18V Li-ion	6.0Ah	1pc	DC18RC	18V Li-ion	1	3	1pc	Type 1

LXT-PSK 5.0Ah

Part no	BATTERY				CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
198568-9	BL1850B	18V Li-ion	5.0Ah	4pcs	DC18RD	18V Li-ion	2	3	1pc	Type 3
199592-5	BL1850B	18V Li-ion	5.0Ah	4pcs	DC18RD	18V Li-ion	2	2	1pc	Type 3
198567-1	BL1850B	18V Li-ion	5.0Ah	2pcs	DC18RD	18V Li-ion	2	3	1pc	Type 3

LXT-PSK 3.0Ah

Part no	BATTERY				CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
197972-9	BL1830B	18V Li-ion	3.0Ah	4pcs	DC18RD	18V Li-ion	2	3	1pc	Type 2
191A26-0	BL1830B	18V Li-ion	3.0Ah	1pc	DC18RC	18V Li-ion	1	3	1pc	Carton Box

LXT/CXT (With 4.0Ah CXT Battery x 1pc and 5.0Ah LXT Battery x 1pc)

Part no	BATTERY				CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
199360-6	BL1041B	12V MAX Li-ion	4.0Ah	1pc	DC18RE	12V MAX CXT & 18V LXT	MULTI	3	1pc	Type 3
	BL1850B	18V Li-ion	5.0Ah	1pc						
199359-1	BL1041B	12V MAX Li-ion	4.0Ah	1pc	DC18RE	12V MAX CXT & 18V LXT	MULTI	2	1pc	Type 3
	BL1850B	18V Li-ion	5.0Ah	1pc						

Comparison List

Model No.	Dust class	Powered	Tank type	Tank capacity	Max Air Flow (m ³ / min)	Max Sealed Suction (kPa)	Suction Power (W)
-----------	------------	---------	-----------	---------------	-------------------------------------	--------------------------	-------------------

STICK TYPE VACUUM

CL001G	HEPA filter	XGT (40Vmax)	Capsule type box	730mL	1.2	21 kPa	125 W
CL002G	HEPA filter	XGT (40Vmax)	Cloth / Paper	500 / 300mL	1.2	21 kPa	125 W
CL003G	HEPA filter	XGT (40Vmax)	Cyclone	250mL	1.0	20 kPa	100 W
DCL286F	HEPA filter	LXT (18V)	Cyclone	250mL	1.0	18 kPa	100 W
DCL281F	Pre-filter	LXT (18V)	Capsule type box	750mL	1.5	8.2 kPa	60 W
DCL280F	Pre-filter	LXT (18V)	Capsule type box	750mL	1.4	6.4 kPa	45 W
DCL180	Pre-filter	LXT (18V)	Capsule type box	650mL	1.4	4.2 kPa	30 W
CL108FD	Pre-filter	CXT (12Vmax)	Capsule type box	600mL	1.3	4.4 kPa	32 W
CL117FD	Pre-filter	In-built (12Vmax)	Capsule type box	650mL	1.0	5.0 kPa	29 W

UPRIGHT VACUUM

VC010G	L(HEPA filter)	XGT (40Vmax)	Paper / Cloth	5 L	1.8	15 kPa	-
DVC560	L(HEPA filter)	LXT (18V x 2)	Paper / Cloth	5 L	1.9	12 kPa	-

BACKPACK VACUUM

VC011G	(HEPA filter)	XGT (40Vmax)	Paper / Cloth	6.0 / 5.5 L	2.4 (hose Ø 32-1.0)	20 kPa	195 W
VC008G	(HEPA filter)	XGT (40Vmax)	Paper / Cloth	2.0 / 1.5 L	2.4 (hose Ø 32-1.0)	18 kPa	195 W
DVC660	(HEPA filter)	LXT (18V x 2)	Paper / Cloth	6.0 / 5.5 L	2.2 (hose Ø 32-1.0)	11 kPa	95 W
DVC261	(HEPA filter)	LXT (18V x 2)	Paper / Cloth	2.0 / 1.5 L	2.2 (hose Ø 32-1.0)	11 kPa	90 W

VACUUM SWEEPER

VS001G	(HEPA filter)	XGT (40Vmax)	Cloth	24 / 47L	-	-	-
--------	---------------	--------------	-------	----------	---	---	---

ROBOTIC VACUUM

DRC300	(HEPA filter)	LXT (18V)	-	3 L	-	-	-
DRC200	(HEPA filter)	LXT (18V)	-	2.5 L	-	-	-

PORTABLE VACUUM

DVC750L	L (HEPA filter)	LXT (18V)	Plastic	7.5 / 4.5L	1.6	6.7 kPa	-
DCL184	-	LXT (18V)	Paper / Cloth	500 / 330ml	1.4	5.4 kPa	-
CL121D	-	CXT (12Vmax)	Paper / Cloth	500 / 330ml	1.3	4.6 kPa	-

DRUM TYPE VACUUM

VC007GL	L (HEPA filter)	XGT (40Vmax x2)	Plastic	40 / 30 L (WET / DRY)	3.7 (hose Ø 38-2.5)	18 kPa	350 W
VC005GL	L	XGT (40Vmax)	Plastic	8 L	2.8 (hose Ø 32-1.7)	23 kPa	265 W
VC004GL	L (HEPA filter)	XGT (40Vmax)	Plastic	15 L	1.8 (hose Ø 28-3.5)	23 kPa	205 W
VC003GL	L	XGT (40Vmax)	Plastic	15 / 12 L (WET / DRY)	3.2 (hose Ø 38-2.5)	23 kPa	310 W
DVC150L	L	LXT(18V x2) / AC	Plastic	15 / 12 L (WET / DRY)	2.1 / 3.6 (hose Ø 38-2.5)	24 / 9 kPa	70 W / 320 W
VC3211H	H	AC	Stainless steel	32 / 27 L (WET / DRY)	2.0 (hose Ø 28-3.5)	22 kPa	-
VC3210L	L	AC	Stainless steel	32 / 27 L (WET / DRY)	2.0 (hose Ø 28-3.5)	22 kPa	-
VC2000L	L	AC	Plastic	20 / 13 L (WET / DRY)	3.6	21 kPa	-



MAKITA GULF FZE

P.O BOX 17133, JEBEL ALI FREE ZONE, DUBAI, U.A.E.
TEL. (971) 4 8860804

makita.ae



PART #: (Z) 000041-1
PRINTED IN U.A.E VZ.24

DOWNLOAD
CATALOGUE