



AS001G

Cordless Dust Blower

Powered by 40V max XGT Li-ion battery

XGT
40V Li-ion
max

BL
MOTOR



A wide range of applications

Can be used for a wide range of applications by replacing the tip nozzle



Max. air velocity

200
m/s

(with nozzle 7 / mode: 4)

Max. air volume

1.1
m³/min

(without nozzle / mode: 4)

Hanging hole

enables to hang the machine like factory air duster

Filter

for preventing foreign matter from being sucked in

One-touch nozzle replacement

easy nozzle replacement without tool



LED Job Light

Variable speed control by lever



4 stage air volume



Belt Clip

A WIDE RANGE OF APPLICATIONS

For blowing / For cleaning



Nozzle 13 set
Part No. 191X15-3
• For blow-off works
• For inflating large play pools, etc.



Nozzle 7 set
Part No. 191X13-7
For filter cleaning



Nozzle 3 set
Part No. 191X11-1
For cleaning narrow spaces
(can be used like an air spray can)



Wide range nozzle set
Part No. 191X19-5
For wide range blow off



Flexible nozzle complete set
Part No. 191X21-8
For blowing dust away from OA equipment or narrow spaces where this machine cannot enter



Standard Equipment

Standard Equipment

Standard Equipment

Standard Equipment

Optional Accessory

For inflating / deflating



Pinch valve nozzle set
Part No. 191X17-9
For inflating/deflating inner tubes and beach balls



Rubber attachment 20-30 set
Part No. 191X25-0
For deflation large play pools and inflatable beds etc *



Rubber attachment 65 set
Part No. 191X27-6
For deflating futon (bedding) compression bag *



Air vent hose complete set
Part No. 191X23-4
For inflating/deflating inner tubes and beach balls **



Filter C complete set
Part No. 191X29-2
For use of the machine in a dusty environment **



Standard Equipment

Optional Accessory

Optional Accessory

Optional Accessory

Optional Accessory

* Used by attaching to Nozzle 13 and air vent hose

** Remove dust cap complete from the machine and attach this filter

SPECIFICATIONS

Max blowing force	Mode: 4/ 3/ 2/ 1: 2.8/ 2.3/ 1.7/ 1.1 N
Max air volume	Mode: 4/ 3/ 2/ 1: 1.1/ 1.0/ 0.8/ 0.6 m ³ /min
Max sealed suction	10.3 kPa
Continuous Use (min.)	Mode: 4/ 3/ 2/ 1: 13/ 17/ 25/ 50
Sound Pressure Level	79 dB(A)
Vibration Emission	2.5 m/s ² or less
Dimensions (L x W x H)	180 x 94 x 248 mm (with BL4020)
Net weight	2.3 kg

Standard Equipment: Nozzle 3, Nozzle 7, Nozzle 13, Pinch valve nozzle, Wide range nozzle, Belt clip, Tool Bag, Accessory Bag.

 Variable Speed  Electronic 4-Speed



Variants	Battery	Charger	Tool Bag
AS001GA101	1pc of 40V MAX XGT Li-ion 2.0Ah battery	1pc Charger	YES
AS001GZ	NO	NO	NO



Makita[®]

MAKITA GULF FZE

www.makita.ae    