

# **DA001G**

**Cordless Angle Drill** Powered by 40V max XGT Li-ion battery



# **Keyed Drill Chuck**

Capacity of drill chuck: 2-13mm



**Net Weight** 

5.9<sub>kg</sub> with 4.0Ah Battery BL4040





# **High Drilling Performance**

#### **Drilling work amount**

BL4040 (4.0Ah) / on a full charge

two layers of SPF2x4 plate / ø2-9/16" Self-feed bit / high speed mode

**60** pcs

four layers of SPF2x10 plate / ø7/8" Auger bit / high speed mode

100 pcs


SPF2x10 plate / 4-1/8" TCT hole saw / high speed mode

**80** pcs

#### **Automatic torque Drive Technology**

automatically changes the drilling speed according to load conditions for an optimum operation











# Well balanced

Vertically long body and handle are easy to hold and easy to work stably



# **Rotation handle**

Angle of front handle is adjustable according to working posture



# **Torque limiter**

When the drill bit is locked, the bit rotation will stop

# Hook assembly (anti-drop attachment)

- · Anti-drop strap can be attached
- · Also can be used as a skyhook









Twin LED job light with preglow and afterglow functions

SPECIFICATIONS		
Capacity	Steel: 13 mm	
	Wood (Self-Feed Bit) Hi: 65 mm / Lo: 118 mm	
	Wood (Hole Saw) Hi: 105 mm / Lo: 159 mm	
	Wood (Auger-Bit): 50 mm	
No Load Speed (RPM)	High / Low: 0 - 1,500 / 0 - 400	
Max Fastening Torque	High: 55 N⋅m / Low: 136 N⋅m	
Vibration Level	Drilling into Metal: 2.5 m/s² or less	
Dimensions (L x W x H)	_ x W x H) 545 x 128 x 199 mm [w/ BL4040]	
Net weight	6.2 kg	

Carrying Case



Variants	Battery	Charger	Carry Case
DA001GM201	2pcs of 40V MAX XGT Li-ion 4.0Ah batteries	1pc Charger	YES
DA001GZ01	NO	NO	YES





Soft Start

Built-in Job Light