



1 Thakita



10 mm Driver Drill

10mm Impact Driver Drill

Max. Lock Torque 42 N.m

Excellent Usability and Compact Design

Driver Drill DF0300



Impact **Driver Drill HP0300** R



| DF0300 - Driver Drill | Drill / HP0300 - Impact Driver Drill | | |
|--------------------------|--------------------------------------|-------------------|--|
| | DF0300 | | HP0300 |
| Continuous rating input | 320W | | 320W |
| Capacity | Steel / Wood: 10 |) / 28mm | Concrete / Steel / Wood: 8 / 10 / 28mm |
| Chuck Capacity | 1.0 - 10 mm | | 1.0 - 10 mm |
| No Load Speed (RPM) | High / Low: 0 - 1,500 / 0 - 450 | | High / Low: 0 - 1,500 / 0 - 450 |
| Blows Per Minute (BPM) | - | | High / Low: 0 - 22,500 / 0 - 6,750 |
| Max Fastening Torque | Hard / Soft: 56.0 / 21.0 N·m | | Hard / Soft: 56.0 / 21.0 N·m |
| Max lock torque | 42.0 N·m (370 in.lbs.) | | 42.0 N·m (370 in.lbs.) |
| Dimensions (L x W x H) | 220x67x206 mm | | 235x67x206 mm |
| Net weight | 1.2 kg | | 1.3 kg |
| Power supply cord | 2.5 m | | 2.5 m |
| Standard Equipment: Bit. | | | |
| Double Insulation | Variable Speed | Reversing | |
| Mechanical 2-Speed | Keyless Chuck | Torque Setting 20 | |

