

DHS900















High power similar to AC tool

Rotatable dust nozzle •

diminishes the loss of the convenience of cordless mobility caused by the hose when the saw is connected to a vacuum cleaner



Sub Base •

Guide Rule can be used as Sub Base by turning up side down



Variable speed control by dial



Battery capacity warning lamp

Blower function



Up to

Work amount on a single full battery charge

Oak wood (Thickness: 80mm/ Width: 300mm/ Bevel angle: 0o) with BL1850B (5.0Ah) x 2

Bevel cuts up to 1° left and 60° right



Twin LED Job Light




Automatic torque Drive Technology



automatically changes the cutting speed according to load conditions for an optimum operation:

- On light duty: high-speed rotation mode
- On heavy duty: high torque





AutoStart Wireless System

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool





ACCESSORIES







Guide rail						
Overall length (m)	Part No.					
1.4	194368-5					
3	194367-7					

Specification	
Blade Diameter	235 mm
Max Cutting Capacity	90°: 85 mm
	45°: 61 mm
	60°: 44 mm
No Load Speed (RPM)	4,500
Vibration Level	Cutting Wood: 2.5 m/s ² or less
	Cutting Metal: 2.5 m/s ² or less
Sound Pressure Level	93 dB(A)
Sound Power Level	104 dB(A)
Dimensions (L x W x H)	413x196x316 mm
Net weight	6.0 kg

Standard Equipments: TCT Saw Blade, Sub Base, Hex Wrench.





Built-in Job light



Soft Start

Available Variants				
AMPERE	VARIANTS	BATTERIES	CHARGER	MAKPAC STACKING CASE
W/O Battery and Charger, without wireless unit	DHS900Z	0	0	NO
W/O Battery and Charger, with 1pc wireless unit	DHS900ZU	0	0	NO
With 2pcs 18V, 5.0Ah batteries, 1pc two port fast charger and MAKPAC case	DHS900PT2	2	1	YES

