

DLM531 18V + 18V Li-ion (LXT) Cordless Lawnmower

ZERO EMISSION

EQUIPPED WITH SIDE DISCHARGE

Tnakita









makita



Makili







Comparison Chart of Lawn Mowers

Model	Deck	Self-propelled	BL Motor	Battery Slots	Cutting/Collecting/Mulching	Rear Discharge	Side Discharge
DLM533 (NEW)	Aluminium	\checkmark	~	4	~	\checkmark	
DLM532 (NEW)	Steel	\checkmark	\checkmark	4	\checkmark		\checkmark
DLM531 (NEW)	Steel		\checkmark	4	\checkmark		\checkmark
DLM460 (existing model)	Steel	1	\checkmark	2	~		
DLM431 (existing model)	Plastic	E HAR		2	✓ *		
DLM382 (NEW)	Plastic		100	2	✓ *		

* Optional accessory for Mulching (DLM382, DLM431)



Side Discharge





Single-lever cutting height adjustment



IPX4 (water resistant)

Specification		
Cutting Width	534 mm	
Cutting Height	20 - 100 mm	
Deck Type	Steel	
No. of stages	10 stages	
No Load Speed (RPM)	2,300 - 2,800	
Propelling speed	2.5 - 5.0 km/h	
Dimensions (L x W x H)	1,630-1,715 x 590 x 990-1,095 mm	
Net weight	46.7 kg	
Standard Equipment: Blade, Mulch plu	g, Side Discharge Mouth, Socket Wrench, Rod.	
🕅 Brake 🕥 Soft Start 🔰 El	ectronic 2-Speed Constant Speed	

Available Variants					
AMPERE	VARIANTS	BATTERIES	CHARGER	MAKPAC STACKING CASE	
Without BATTERY and CHARGER	DLM531Z	0	0	NO	

Accessories - Blade						
Model	Size	Part No.	Image			
DLM531	530mm	191D52-7				

Swing Back Blade Set (530mm)	191D50-1	Swing Back Blade SET		
Replacement Blades (4pcs)	191D48-8	R		

makan

