

DRV150









High Speed Rivetting: the rivets to be used are similar to the rivets used for Pneumatic Machines

Insert rivet into the hole









Jaw case designed to enable tight space operation

The short center height allows for tight space operation such as close-to-wall riveting





Rivet holding mechanism



- Once a rivet is installed, it is held in place and does not drop out even when the tool is directed downward
- No need for holding the rivet by hand even in vertical down application

Twin LED job light •

With pre-glow and afterglow functions



Transparent container for spent mandrels* The amount of spent mandrels*

The amount of spent mandrels* can be checked

* mandrel: shaft broken off from a tightened rivet



Compatible with various sizes of blind rivets

A wide range of nose pieces and jaw pushers allow for tightening various sizes of blind rivets Compatible rivet diameter:

Ø2.4mm / 3.2mm / 4.0mm / 4.8mm

(can also be used for stainless steel rivets)



2,300 rivets

Mandrel diameter: Ø4.8mm Battery: BL1850B (5.0Ah)

Specification	
Max pulling force	10 kN
Length of Stroke	25 mm
Center height	26 mm
Sound Pressure Level	75 dB(A)
Vibration Level	2.5 m/s ² or less
Dimensions (L x W x H)	310x80x287 mm
Net weight	2.2 kg

Standard Equipments: Belt Clip, Accessory set B for 4.0 (Nose piece, Jaw pusher), Accessory set for 3.2 and 2.4 (Nose piece, Jaw pusher, Pipe complete), Grease set.





Available Variants				
AMPERE	VARIANTS	BATTERIES	CHARGER	MAKPAC STACKING CASE
W/O BATTERY and CHARGER	DRV150Z	0	0	NO
With 2pcs of 18V Li-ion 3.0Ah battery, 1pc charger in MAKPAC carry case	DRV150RFJ	2	1	YES



Accessories








Nose piece Jaw set

lav

Jaw pusher

Pipe



Model - DRV150	
Rivet	Size
Mivet	Mandrel diameter: mm
Nose piece and Jaw pusher	Size
set *with pipe	Part No.
Jaw set	Size
(3pcs set)	Part No.

Ø1.4 mm - 1.6 mm	Ø1.8 mm - 2.1 mm	Ø2.2 mm - 2.6 mm	Ø1.4 mm - 1.6 mm
Ø2.4 mm	Ø3.2 mm	Ø4.0 mm	Ø4.8 mm
*199729-4	*199728-6	191C04-2	*191C03-4

Grease set (5g)

Jaw grease for maintenance (Grease to jaw case & jaws)
Molybdenum disulfide grease 191D57-7







