


DUS054 CORDLESS GARDEN SPRAYER Powered by 18V LXT Li-ion battery

QUICK SPRAYING WITHOUT HAND PUMPING Thakita GL MAX. PERMISSIBLE PRESSURE 0.3мРа TANK **5**L CAPACITY 18V LXT XPT





2-mode selectable

(Mist and Stream)



Stream mode is optimal for watering or fertilizing plants, such as trees, located a little away from the user

Ergonomically optimized tank design



Both sides are ergonomically curved to fit user's body when the sprayer hangs from the shoulder, increasing user's productivity

Easy battery removal

Continuous run time / Spraying capacity on a full battery charge (BL1830B) Single outlet			
MIST 240min/ 110L	STREAM 235min/ 140L		



The battery pops out for easy removal simply by pushing the hook of the battery

Nozzles and Other Attachments				
Attachments	Image	Part No.		
Measuring Cup		PR00000180		
Two Head Nozzle		PR00000142		
Shoulder Strap		PR00000128		
Spray Wand		PR00000145		
Wand Hook		PR00000144		
Spray Hose Assembly		PR00000154		
Handle Set		PR00000153		
Handle Trigger Assembly		PR00000148		

SPECIFICATIONS - DUS054

Max Pressure	0.3 MPa	
Chemical tank	5 L	
Hose Length	1.7 m	
Spray Wand Length	0.5 - 0.7 m	
Nozzle Mounting Thread	G 1/4	
Dimensions (L x W x H)	343 x 182 x 368 mm	
Net weight	3.5 kg	

Standard Equipment: H-Shaped Double Head Nozzle, Spray Wand, Spray Wand Holder, Shoulder Belt.

Variants	Battery	Charger	Carry Case
DUS054Z	NO	NO	NO



