DVC154L

18V + 18V Li-ion (LXT) Cordless Dust Extractor with AWS function (Dry)

15L Large dust bag capacity

with Hepa Filter System for powerful dust extracting solutions

Max Suction Power
90w

Max Air Flow
2.1m³/min

Max Sealed Suction
9.8kPa

Continuous use
Upto
115 Mins
Mode : Low
with BL1860B

AWS — Auto-start wireless system enables the Dust Extractor runs automatically

Clean Environment
With powerful suction, the working environment of the workplace can always be maintained in a clean environment

Free from Cord
Using our cordless dust extractor with a cordless Li-ion tool means freedom of movement, reduced safety hazards and no plug-in or power issue

BL MOTOR · **LXT** · **18v + 18v → 36v LITHIUM-ION** · **XPT EXTREME PROTECTION TECHNOLOGY** · **AWS** · **Bluetooth** · **HEPA filter**

Higher suction power and longer continuous run time
achieved through brushless motor

Efficient three stage HEPA filtration system
captures 99.97% of particulates 0.3 microns and larger

HEPA filter

Variable suction power control by dial

Suction power is variably adjustable to suit application

Large on-off switch
- For easy on/off
- Functions only when main power switch is on to prevent accidental switch-on during transportation, etc.

Removable storage box
allows for storing the accessories and batteries.

Main Switch

Built-in wireless unit

Large bumper protects walls and furniture from bumps and scratches

This extractor moves easily on four casters with clip-down locks on the rear pair to stabilize the extractor

AWS

Makita's Auto-start Wireless System (AWS) has modernized on-demand dust extraction to meet the needs of cordless power tool users. AWS allows you to work with maximum efficiency, without the hazard of dust & leads.

Can connect upto 10 AWS tools at a time with single dust extractor, just reconnect the dust hose when switching between power tools, this will reduce time wasted on manually powering multiple tools on and off.

DVC154L

AWS equipped machines

Specification

Capacity	Dust : 15 L
Continuous Use (min.) (aprox.)	With 2 x BL1850B: 40-100
	With 2 x BL1860B: 48-115
Max Air Flow	2.1 m³/min
Max Sealed Suction	9.8 kPa
Max Suction Power	90 W
Vibration Level	2.5 m/s² or less
Sound Pressure Level	66 dB(A)
Dimensions (L x W x H)	366x334x421 mm
Net weight	8.6 kg

Standard Equipments: Front Cuffs, 28mm Dia - 3.5m Hose, Hepa Filter Set, Polybag Set.
(Subject to change)

Variable Speed   Revolving Hose   Static Free Hose

Available Variants

AMPERE	VARIANTS	BATTERIES	CHARGER	MAKPAC STACKING CASE
W/O BATTERY/ CHARGER	DVC154LZ	0	0	-

Accessories

Front Cuffs (Standard)		Rubber Joint (Standard)	HEPA filter (Standard)	Pre-filter set (Standard)	Damper set (Standard)	Filter bag set 15L (5pcs) for dry dust	Poly bag set (10pcs) (Standard)	Hose (Standard) Lightweight Easy to handle ø28mm hose 3.5m
38mm	22mm	24mm						
195545-2	195547-8	195546-0	197166-6	195553-3	195552-5	195557-5	195432-5	195433-3

Used as a set (HEPA filter, Pre-filter set, Damper set)

For general cleaning (optional)

With Cleaning set (optional accessories) DVC154L can be used as a vacuum cleaner for different types of cleaning needs
Cleaning Set Part no: 195439-1

Straight Pipe (Aluminium)

Corner Nozzle

Floor Nozzle

ø38mm (2.5m) hose

Bend Pipe (Aluminium)

Makita Gulf FZE
www.makita.ae