



HR010G

Cordless Combination Hammer (20mm)

Powered by 40V MAX XGT Li-ion battery

COMPACT AND LIGHT WEIGHT

with High Operation Efficiency




Adapted for SDS-PLUS bits

Impact Energy

2.1 J

EPTA-Procedure 05/2009



COMPACT AND LIGHT WEIGHT DESIGN

suitable for upward and horizontal applications



LED Job Light



3 OPERATION MODES

- ⌘ Rotation
- ⌘⌘ Rotation + Hammering
- ⌘ Hammering

OVERALL LENGTH

285 mm

Without Battery

LIGHT WEIGHT

2.6kg

Without Battery



BL
MOTOR

High Power
with Brushless Motor

AWS

Auto-start
Wireless System

connects to compatible vacuum cleaner with Bluetooth. The vacuum cleaner automatically runs while the switch is on.

 Bluetooth™

Switch on
the tool



Vacuum
Cleaner
is activated



Wireless Unit

XPT

eXtreme Protection
Technology



DUST COLLECTION SYSTEM

DX16 (option)

Filter cleaning mechanism

Dust can be removed from the filter by turning a dial on the dust case



One-touch easy attachment/removal



Depth Gauge

Dust Box
Capacity: 400ml

Max. attachable

Bit Size

Diameter: 20mm
Length: 165mm
Effective length: 105mm

Net Weight
Dust Collection System only

0.77 kg

HEPA filter

Equipped with HEPA Filter having a high particle capture rate, which is also used for home appliance vacuum cleaners.



Clean Air

AVT

Anti Vibration Technology


Low Vibration

10.0 m/s²

Measuring Point: at Main Handle

Test conditions

- Downward drilling, Depth: 80mm
- Drill diameter: ϕ 10.0mm
- Concrete compressive strength: 40N/mm²



Vibration absorbing housing

Anti-vibration side grip

ACCESSORIES

Dust Collection System (DX16)

(Standard Equipment with HR010G D201 version only)

Part No. 1911P2-6

Sealing Cap

5 pcs/set

Part No. 422992-7

Dust Case Set

Part No. 1911P5-0



HEPA Filter Set

Part No. 199596-7



Dust Cup Set

Part No. 1911P8-4



Tool Hanger Set

Part No. 1911K0-5



SPECIFICATIONS

Impact Energy	2.1 J (EPTA-Procedure 05/2009)
Capacity	Concrete (with TCT bit): 20 mm; Steel: 13 mm Wood: 26 mm; Core bit: 35 mm Diamond core bit: 32 mm
Blows per minute (BPM)	0 - 5,000
No load speed (RPM)	0 - 1,350
Vibration level	Hammer drilling into concrete: 10.0 m/s ²
Dimensions (L x W x H)	285 x 93 x 169 mm (without battery)
Net weight	2.2 kg (without battery)

Standard Equipment: Side Grip, Depth Gauge.

- Variable Speed
- Constant Speed
- Reversing
- Adapted for SDS-PLUS bits
- Dust Collection
- Built-in Job Light
- Brake
- Torque Limiter
- Anti-Restart

Variants	HR010G Z	HR010G D201
Details	40V MAX XGT Cordless Combination Hammer	
Battery	NO	YES 2pcs of 40V MAX Li-ion 2.5Ah batteries
Charger	NO	YES
Carry Case	NO	YES



MAKITA GULF FZE

www.makita.ae |

MAKITA TOOLS EDITION # 629