

PT001G

Cordless Pin Nailer
Powered by 40V MAX XGT Li-ion battery

HIGH QUALITY FINISH

mainly used for interior nailing operations such as installation of baseboards, crown moldings etc





Contact arm mechanism

enables "continuous nailing" and "drag nailing". [If the nose tip isn't pressed to a workpiece, the trigger cannot be pulled]



Pin Nails
Diameter Ø0.6 mm
Length
15/18/25/30/35 mm



Compact and Light weight





Low Recoil Mechanism

- enables easier nailing of long pins without pushing down the pin nailer firmly
- · achieves high-quality finish nailing



Single LED Job Light



with pre-glow and after-glow functions

Driving depth adjustment by dial



- · Able to drive up to 35mm pin nails
- Anti-dry fire mechanism

PIN NAILS

Length (mm)	Pcs / Pkg	Part No.		
18 mm	10,000 pcs	F-31825		
25 mm	10,000 pcs	F-31838		
30 mm	10,000 pcs	F-31841		
35 mm	10,000 pcs	F-31854		



SPECIFICATIONS					
Capacity	Length: 15, 18, 25, 30, 35 mm				
	Dia.: 0.6 mm; Gauge: 23 Ga				
Magazine Capacity	120				
Dimensions (L x W x H)	218 x 86 x 226 mm				
Net weight	1.7 kg (without battery)				
Standard Equipment: Nose Adapter, Safety Goggles, Belt Clip.					
Depth Adjustment Au	to Firing Stop				

Variants	Battery	Charger	Carry Case
PT001G A101	YES, 1pc 40V MAX 2.0Ah XGT battery	YES	YES
PT001G Z	NO	NO	NO

Optional Accessory

Nose Adapter

Part No. 422872-7

Nose adapter for flat nailing





