



UA004G

Cordless Telescopic Pole Saw (300mm)

Powered by 40V max XGT Li-ion battery

High Power + Long Reach = High Efficiency



No Load Chain Speed

20.0 m/s



Retractable oil tank cap knob

decreases the chance that the saw head will be snagged in branches



Saw head width
87 mm

Slim saw head
The same slim design as engine pole saws provides easy maneuverability into branches



Chain oil tank with high transparency
allows to easily check the amount of remaining oil



Anti-fall captive nut



Integrated branch hook
convenient for removing cut branches from trees

Telescopic pole

Tool-less pole extension and fixing for easy adjustment of pole length

Maximum total length
3,747 mm

Saw head weight
0.7 kg

Excellent tool balance

The motor is located in the battery housing at the bottom of the tool. This bottom-mounted motor reduces the saw head weight, allowing for:
 • Ease to control the saw head for easy access to a desired cutting position
 • Reduced user fatigue and stress

Shortest total length
2,515 mm

XPT / WG / IPX4

High water-resistance
allows to operate the machine even if it is wet with water



BL MOTOR


High Power Brushless Motor



AFT

Active Feedback sensing Technology (AFT)

Torque limiter turns the motor off if the tool is suddenly forced to lock




ACCESSORIES

Guide Bar / Saw Chain / Guide Bar Cover

Guide Bar

Saw Chain

Bar Cover



Cutter type: CC: Chamfer chisel

Guide Bar			Saw Chain					
Bar Length	Bar Type	Guide Bar Part No.	No. of Drive Links	Gauge	Pitch	Cutter Type		Saw Chain Part No.
30cm/12"	Sprocket	165245-8	46	1.1mm/ 0.043"	3/8"	90PX	CC	196740-7

SPECIFICATIONS


Guide Bar Length	300mm
Saw chain	Gauge : 1.1mm Pitch: 3/8"
Chain Speed	20.0 m/s (1,200 m/min)
Oil Tank Capacity	160 mL
Dimensions (L x W x H)	2,515 - 3,747 x 157 x 191 mm (without guide bar)
Net weight	6.4kg (without battery)

Standard Equipment: Saw Chain, Guide Bar, Blade Cover, Wrench, Band Assembly, Hex Wrench.

Variable Speed
 Brake
 Soft Start



Variants	Battery	Charger	Carry Case
UA004GM101	1pc of 40V MAX XGT Li-ion 4.0Ah battery	1pc Charger	NO
UA004GZ	NO	NO	NO



MAKITA GULF FZE

www.makita.ae