

UR007G

Cordless Grass Trimmer (Loop Handle) Powered by 40V MAX XGT Li-ion battery

AS POWERFUL AS 30cc Petrol Grass Trimmer













Large push button main power switch -

allows for easy on/off even with gloved hand

Reverse Button



Reverse switch for clearing entangled weeds and grass from cutting head







Loop handle

similar to 30mL class engine grass trimmers

Protector


- · Dual-purpose protector, Nylon cutting head can be used by attaching Extension
- Cutting width: 255mm with Metal blade 430mm with Nylon cutting head

Multi functional control panel: near right hand position for easy access and operation




Automatic torque Drive Technology

Automatically changes the cutting speed according to grass density



Active Feedback sensing Technology

Torque limiter turns the motor off if the tool is suddenly forced to lock



Time



Rear end mounted motor

Makes the tool weight balance similar to engine grass trimmers, enabling user to easily lift up the saw head for ridge weed removal, etc.





allows to operate the machine even if it is wet



eXtreme Protection Technology

Enhanced Dust and Drip-proof Performance ensure reliable operation even under bad weather



ACCESSORIES

Trimmer Head Assembly

Part No. 198893-8 Type: 95-M10L

Size: 4"

Cord/Line: 2.0mm x2m



Part No. 197804-0 Type: 95-M10L Size: 4"

Cord/Line: 2.4mm x3m



Brush Cutter Blade

3 Tooth Blade Part No. D-66020 Blade Diameter: 230mm

No. of Teeth: 3T Thickness: 3.0



3 Tooth Blade Part No. D-66036

Blade Diameter: 255mm

No. of Teeth: 3T Thickness: 3.0



TCT Saw Blade Part No. D-65997 Blade Diameter: 255mm

No. of Teeth: 40T Thickness: 1.25



4 Tooth Blade

Part No. B-14118 / D-66008 Blade Diameter: 230mm

No. of Teeth: 4T Thickness: 1.8



4 Tooth Blade

Part No. B-14124 / D-66014

Blade Diameter: 255mm No. of Teeth: 4T

Thickness: 2.0



Plastic Blade Set Part No. 198383-1

Blade Diameter: 255mm

M8 x 1.25RH M8 x 1.25LH M10 x 1.25LH



Four-leaf Spiral Nylon cord

Green

Size Part No.

2.0mmx15m 197472-9



வ் Soft Start



Size Part No.





Protection guard for brush cutting blades


Part No. 191B54-1





SPECIFICATIONS Max. Output 1.0kW **Cutting Width** Metal Blade: 255 mm; Nylon Cutting Head: 430 mm Plastic Blade: 305 mm Metal Blade (3 / 2 / 1): 0 - 7,000 / 0 - 5,500 / 0 - 4,600 No Load Speed (RPM) Nylon Cutting Head (3 / 2 / 1): 0 - 5,500 / 0 - 5,000 / 0 - 4,600 Plastic Blade (255 mm) (3 / 2 / 1): 0 - 7,000 / 0 - 5,500 / 0 - 4,600 Spindle Size M10 x 1.25 LH 1,840 x 400 x 269 mm Dimensions (L x W x H) 4.5 kg (without battery) Net Weight Standard Equipment: Safety Goggles, Accessory Bag, Hex Wrench, Box Driver, Shoulder Belt. Wariable Speed 3 Electronic 3-Speed (Brake Reversing

Constant Speed



Variants	Battery	Charger	Carry Case
UR007G M101	YES, 1pc 40V MAX 4.0Ah XGT battery	YES, 1pc Fast Charger	NO
UR007G Z01	NO	NO	NO



