

## Angle Grinder 125 mm GA5092



### Product Description

1 900 W • 125 mm • 11 500 min<sup>-1</sup>

#### **Corded angle grinder with improved power consumption and durability**

Angle grinder made for professional use with a 125 mm disc size and adjustable speed. Powerful 1,900 W motor power. The standard electronics keep the rpm stable. Thanks to the design of the body, it is easy to get a good grip on the machine. Electronic kickback protection and AVT vibration-damped side handle.

### Product Features

- ⊙ Anti restart function minimizes accidental start up
- ⊙ Soft start feature for smooth start-ups
- ⊙ Super Joint System II developed for effective vibration absorption
- ⊙ Constant speed control automatically applies additional power to the motor to maintain speed under load to complete the most challenging jobs

### Barcode

88381768597

### Product Specifications

<b>Power Supply Cord UK</b>	2,5 m
<b>Bore Size (Arbor Diameter)</b>	22,23 mm
<b>Vibration Level, Surface Grinding</b>	8,8 m/s <sup>2</sup>
<b>Max. Depth of Cut</b>	31 mm
<b>Grinding Disc Diameter</b>	125 mm
<b>Vibration Uncertainty (K Factor), Disc Sanding</b>	1,5 m/s <sup>2</sup>
<b>Sound Pressure Level</b>	93 dB(A)
<b>Vibration Level, Disc Sanding</b>	2,8 m/s <sup>2</sup>
<b>Power Supply Cord</b>	4,0 m
<b>Continuous Input Power</b>	1900 W
<b>Product Dimensions (L x W x H):</b>	326 x 140 x 123 mm
<b>Sound Power Level (L<sub>WA</sub>)</b>	101 dB(A)
<b>Spindle Thread</b>	M14
<b>Weight Without Cable (EPTA)</b>	2,6 - 3,8 kg
<b>Noise Uncertainty (K Factor)</b>	3 dB(A)
<b>Max Output Power</b>	2100 W
<b>Vibration Uncertainty (K Factor), Surface Grinding</b>	1,5 m/s <sup>2</sup>
<b>Anti-Restart Function (NVR Switch)</b>	1
<b>Tool Category</b>	Grinding, Sanding and Polishing
<b>No load speed</b>	11500 min <sup>-1</sup>

More info

<https://makita.ae/product/angle-grinder-125-mm-ga5092/>