

Angle Grinder 125 mm GA5092



Product Description

1 900 W • 125 mm • 11 500 min⁻¹

Corded angle grinder with improved power consumption and durability

Angle grinder made for professional use with a 125 mm disc size and adjustable speed. Powerful 1,900 W motor power. The standard electronics keep the rpm stable. Thanks to the design of the body, it is easy to get a good grip on the machine. Electronic kickback protection and AVT vibration-damped side handle.

Product Features

- ⊙ Anti restart function minimizes accidental start up
- ⊙ Soft start feature for smooth start-ups
- ⊙ Super Joint System II developed for effective vibration absorption
- ⊙ Constant speed control automatically applies additional power to the motor to maintain speed under load to complete the most challenging jobs

Barcode

88381768597

Product Specifications

| | |
|---|---------------------------------|
| Power Supply Cord UK | 2,5 m |
| Bore Size (Arbor Diameter) | 22,23 mm |
| Vibration Level, Surface Grinding | 8,8 m/s ² |
| Max. Depth of Cut | 31 mm |
| Grinding Disc Diameter | 125 mm |
| Vibration Uncertainty (K Factor), Disc Sanding | 1,5 m/s ² |
| Sound Pressure Level | 93 dB(A) |
| Vibration Level, Disc Sanding | 2,8 m/s ² |
| Power Supply Cord | 4,0 m |
| Continuous Input Power | 1900 W |
| Product Dimensions (L x W x H): | 326 x 140 x 123 mm |
| Sound Power Level (L_{WA}) | 101 dB(A) |
| Spindle Thread | M14 |
| Weight Without Cable (EPTA) | 2,6 - 3,8 kg |
| Noise Uncertainty (K Factor) | 3 dB(A) |
| Max Output Power | 2100 W |
| Vibration Uncertainty (K Factor), Surface Grinding | 1,5 m/s ² |
| Anti-Restart Function (NVR Switch) | 1 |
| Tool Category | Grinding, Sanding and Polishing |
| No load speed | 11500 min ⁻¹ |

More info

<https://makita.ae/product/angle-grinder-125-mm-ga5092/>