

# Angle Grinder XGT GA050GT101

## Product Description

40V MAX XGT • 125 mm • 11 000 min<sup>-1</sup>

**Product GA050G is a 125 mm (5") angle grinder powered by 40Vmax XGT® Li-Ion battery**

The new housing structure provides high rotation speed similar to that of corded models. Other features and benefits are:

- Slide lever style wheel cover
- Paddle switch



## Product Specifications

<b>Bore Size (Arbor Diameter)</b>	22,23 mm
<b>Vibration Level, Surface Grinding</b>	8,9 m/s <sup>2</sup>
<b>Tool weight with battery (EPTA)</b>	3,0 - 5,4 kg
<b>Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)</b>	Li-ion
<b>Grinding Disc Diameter</b>	125 mm
<b>Max. Depth of Cut</b>	34 mm
<b>Battery Voltage</b>	40 V
<b>Brushless Motor</b>	YES
<b>Vibration Uncertainty (K Factor), Disc Sanding</b>	1,5 m/s <sup>2</sup>
<b>Sound Pressure Level</b>	85 dB(A)
<b>Vibration Level, Disc Sanding</b>	2,6 m/s <sup>2</sup>
<b>Product Dimensions (L x W x H):</b>	411 x 140 x 169 mm
<b>Sound Power Level (L<sub>WA</sub>)</b>	93 dB(A)
<b>System</b>	XGT 40Vmax/80V max
<b>Spindle Thread</b>	M14
<b>Product net weight (new)</b>	1,9 kg
<b>Voltage XGT</b>	1
<b>Noise Uncertainty (K Factor)</b>	3 dB(A)
<b>Max Output Power</b>	2300 W
<b>Vibration Uncertainty (K Factor), Surface Grinding</b>	2,2 m/s <sup>2</sup>
<b>Anti-Restart Function (NVR Switch)</b>	1
<b>Tool Category</b>	Grinding, Sanding and Polishing
<b>Electronic brake</b>	1
<b>Dead Man's Switch (No Lock-On)</b>	1
<b>No load speed</b>	11000 min <sup>-1</sup>

## Standard Equipment

- ⊙ 1pc DC40RA Fast Charger

⦿ 1pc x BL4050F (5.0Ah) 40V MAX XGT Battery

⦿ Makpac Case

More info

<https://makita.ae/product/angle-grinder-xgt-ga050gt101/>