

## Backback Blower 36V UB004CZ



### Product Description

36V • 28 N • 20.9 m<sup>3</sup>/min • 23,800 min<sup>-1</sup>

#### Powered by Portable Power Pack Units.

The high blowing efficiency (28N) of this device is comparable to that of a 65cm<sup>3</sup> engine backpack blower. The airflow path has been optimized from a curved line to a straight

### Product Features

- ⊙ 3 speed mode, Boost mode, Variable Speed Control by Trigger + Cruise Control Lever
- ⊙ The machine operates at a high blowing force of 25N with no time limit, and at 28N in Boost mode with a time limit
- ⊙ The airflow path from the fan to nozzle is designed to be straight, providing a high blowing force
- ⊙ Improved backpack harness section for more comfortable backpacking experience
- ⊙ The grip position is adjustable forward / backward and left / right to suit user's size or work posture
- ⊙ Continuous run time @5N : 500 min / @25N : 55 min
- ⊙ eXtreme Protection Technology / IPX4 compatible : High water-resistance allows to operate the machine even if it is wet with water
- ⊙ Use with optional Portable Power Pack Units PDC1500 or PDC1200

### Product Specifications

<b>Blowing force</b>	5, 15, 25 N
<b>Max. Air Velocity</b>	33.2 / 59.0 / 76.3 m/s
<b>Air volume</b>	8.5 / 15.2 / 19.7 m <sup>3</sup> /min
<b>No load speed</b>	0 - 22000 min <sup>-1</sup>
<b>Continuous Use PDC1200</b>	500 - 55 min
<b>Brushless Motor</b>	YES
<b>Sound Pressure Level</b>	82,3 dB(A)
<b>Sound Power Level (LWA)</b>	96,1 dB(A)
<b>Noise Uncertainty (K Factor)</b>	2,0 dB(A)
<b>Vibration Level</b>	≤ 2,5 m/s <sup>2</sup>
<b>Vibration Uncertainty (K Factor)</b>	3,1 m/s <sup>2</sup>
<b>Product Dimensions (L x W x H):</b>	460 x 575 x 585 mm
<b>Tool weight with battery (EPTA)</b>	18.6 - 16.5 kg
<b>Battery Voltage</b>	36 V
<b>System</b>	Direct Connection
<b>Tool Category</b>	Dust Management

---

## Standard Equipment

- ⦿ Sold without Portable Power pack. Includes End Nozzle 74 Set (1914H0-2)
- ⦿ Flat Nozzle Set (1914H1-0)

## More info

<https://makita.ae/product/backback-blower-36v-ub004cz/>