

# **Combination Hammer**

# **HR3210C**



## **Product Description**

850 W • SDS-Plus • 32 mm • 5,5 J

# High performance Combination Hammer for SDS-Plus drill hits

High performance combination Hammer for SDS-Plus with 850 W motor. Three functions: impact drill, no impact and demolition mode. Drilling power for concrete 32mm.

### **Product Features**

- The rubber coating on the handle ensures a firm working grip
- AVT (Anti-Vibration Technology) ensures extra-low vibration performance

#### Barcode

88381088718

Product Specifications	
Vibration Level (3 axes), Drilling	≤ 2,5 m/s²
Drilling diameter with TCT core bit	90 mm
Max. Drilling Diameter in Steel	13 mm
Max. Drilling Diameter in Wood	32 mm
Vibration Level (3 axes), Impact Drilling	9,2 m/s <sup>2</sup>
Optimum Drilling Diameter Range in Concrete	10.0-22 mm
Sound Pressure Level	89 dB(A)
Power Supply Cord	5,0 m
Impact Energy	5,0 J
Continuous Input Power	850 W
Vibration Uncertainty (K Factor)	1,5 m/s <sup>2</sup>
Vibration: Chiselling	7,5 m/s <sup>2</sup>
Product Dimensions (L x W x H):	398 x 114 x 239 mm
Impacts per Minute (IPM)	1650 - 3300 min <sup>-1</sup>
Sound Power Level (L <sub>wA</sub> )	100 dB(A)
Weight Without Cable (EPTA)	4,8 kg
Noise Uncertainty (K Factor)	3 dB(A)
Max. Drilling Diameter in Concrete	32 mm
Adapted for SDS-PLUS bits	1
Tool Category	Hammer Drilling and Chiseling
No load speed	315 - 630 min <sup>-1</sup>

## More info