



Combination Hammer

HR3210C



Product Description

850 W • SDS-Plus • 32 mm • 5,5 J

High performance Combination Hammer for SDS-Plus drill bits

High performance combination Hammer for SDS-Plus with 850 W motor. Three functions: impact drill, no impact and demolition mode. Drilling power for concrete 32mm.

Product Features

- ◎ The rubber coating on the handle ensures a firm working grip
- ◎ AVT (Anti-Vibration Technology) ensures extra-low vibration performance

Barcode

88381088718

Product Specifications

Vibration Level (3 axes), Drilling	$\leq 2,5 \text{ m/s}^2$
Drilling diameter with TCT core bit	90 mm
Max. Drilling Diameter in Steel	13 mm
Max. Drilling Diameter in Wood	32 mm
Vibration Level (3 axes), Impact Drilling	$9,2 \text{ m/s}^2$
Optimum Drilling Diameter Range in Concrete	10.0-22 mm
Sound Pressure Level	89 dB(A)
Power Supply Cord	5,0 m
Impact Energy	5,0 J
Continuous Input Power	850 W
Vibration Uncertainty (K Factor)	$1,5 \text{ m/s}^2$
Vibration: Chiselling	$7,5 \text{ m/s}^2$
Product Dimensions (L x W x H):	398 x 114 x 239 mm
Impacts per Minute (IPM)	$1650 - 3300 \text{ min}^{-1}$
Sound Power Level (L_{WA})	100 dB(A)
Weight Without Cable (EPTA)	4,8 kg
Noise Uncertainty (K Factor)	3 dB(A)
Max. Drilling Diameter in Concrete	32 mm
Adapted for SDS-PLUS bits	1
Tool Category	Hammer Drilling and Chiseling
No load speed	$315 - 630 \text{ min}^{-1}$

More info

<https://makita.ae/product/combination-hammer-hr3210c/>