

Cordless Percussion Driver Drill LXT

DHP490WVX6



Product Description

• 18V LXT • BL • XPT

Cordless Percussion Driver Drill powered by 18V LXT® Li-Ion battery

DHP490 is a 13mm cordless percussion driver drill powered by an 18V LXT Li-Ion battery and is designed to deliver the perfect balance between power and affordability. Powered by a brushless motor, it provides up to 50Nm of max fastening torque.

DHP490WVX6 comes with 2pcs of 18V(2.0Ah) LXT Basic battery BLB182 and 1pc LXT Basic Charger DCB18WA in a plastic carry case.

A 74 pcs accessories set is also included.

Product Features

- ⊙ 18V LXT Brushless Cordless 13 mm (1/2") 65 N·m (580 in.lbs) Driver Drill
- ⊙ Equipped with a powerful brushless motor, the tool delivers the maximum torque of 65 N·m
- ⊙ With its lightweight and compact design, the tool is easy to handle even in narrow spaces.
- ⊙ The brushless motor provides longer work hours per charge and extended tool life
- ⊙ Provides increased efficiency with the maximum no-load speed of up to 1,900 rpm
- ⊙ The 20-stage torque settings allow for fine adjustments to suit the task at hand
- ⊙ A mechanical 2-speed gearing allows for choosing between maximum rpm or higher torque
- ⊙ 18V LXT Brushless Cordless 13 mm (1/2") 65 N·m (580 in.lbs) Driver Drill
- ⊙ Equipped with a powerful brushless motor, the tool delivers the maximum torque of 65 N·m
- ⊙ With its lightweight and compact design, the tool is easy to handle even in narrow spaces.
- ⊙ The brushless motor provides longer work hours per charge and extended tool life
- ⊙ Provides increased efficiency with the maximum no-load speed of up to 1,900 rpm
- ⊙ The 20-stage torque settings allow for fine adjustments to suit the task at hand
- ⊙ A mechanical 2-speed gearing allows for choosing between maximum rpm or higher torque

Product Specifications

No load speed	High: 0 - 1,900 min-1 / Low: 0 - 500 min-1
Impacts per minute	High: 0 - 28,500 min-1 / Low: 0 - 7,500 min-1
Capacity	Steel: 13 mm / Wood: 38 mm
Max torque	65 N·m
Max fastening torque	Hard: 50 N·m / Soft: 27 N·m
Chuck capacity	1.5 - 13 mm
Vibration level	Drilling into metal: 2.5 m/s ² or less
Dimensions(L x W x H)	167 x 81 x 207 mm
Net weight	1kg (without battery)
No load speed	High: 0 - 1,900 min-1 / Low: 0 - 500 min-1

Impacts per minute	High: 0 - 28,500 min-1 / Low: 0 - 7,500 min-1
Capacity	Steel: 13 mm / Wood: 38 mm
Max torque	65 N·m
Max fastening torque	Hard: 50 N·m / Soft: 27 N·m
Chuck capacity	1.5 - 13 mm
Vibration level	Drilling into metal: 2.5 m/s ² or less
Dimensions(L x W x H)	167 x 81 x 207 mm
Net weight	1kg (without battery)

Standard Equipment

- ⊙ 74 pcs accessories set includes
- ⊙ 2 x 18V/2.0Ah LXT Basic Batteries
- ⊙ 1 x 18V LXT Basic Charger
- ⊙ Cylindrical Speed Drill: 16mm
- ⊙ 20mm
- ⊙ Socket Wrench Bit: 8mm
- ⊙ 10mm
- ⊙ 12mm and 13mm
- ⊙ Bit Holder
- ⊙ Countersink Drill
- ⊙ Cylindrical Wood Drill: 4mm
- ⊙ 5mm
- ⊙ 6mm
- ⊙ 8mm and 10mm
- ⊙ Cylindrical Masonry Drill: 4mm
- ⊙ 5mm
- ⊙ 6mm
- ⊙ 8mm and 10mm
- ⊙ Cylindrical Metal Drill: 3mm
- ⊙ 3.5mm
- ⊙ 4mm
- ⊙ 4.5mm
- ⊙ 5mm
- ⊙ 5.5mm
- ⊙ 6mm and 6.5mm
- ⊙ Screw Bits 25mm: PH0 (2)
- ⊙ PH1 (2)
- ⊙ PH2 (3)
- ⊙ PH3 (3)
- ⊙ PZ0 (2)
- ⊙ PZ1 (2)
- ⊙ PZ2
- ⊙ PZ3 (3)
- ⊙ H3

- ⊙ H4
- ⊙ H5
- ⊙ H6
- ⊙ T10
- ⊙ T15
- ⊙ T20 (2)
- ⊙ T25 (2)
- ⊙ T30
- ⊙ T40
- ⊙ SL4 (2)
- ⊙ SL5 (2)
- ⊙ SL5.5 (2)
- ⊙ SL6.5 (2)
- ⊙ Screwdriver Bits 50mm: PH2
- ⊙ PH3
- ⊙ PZ2
- ⊙ PZ3
- ⊙ T20
- ⊙ T30
- ⊙ SL5.5 and SL6.5
- ⊙ 74 pcs accessories set includes
- ⊙ 2 x 18V/2.0Ah LXT Basic Batteries
- ⊙ 1 x 18V LXT Basic Charger
- ⊙ Cylindrical Speed Drill: 16mm
- ⊙ 20mm
- ⊙ Socket Wrench Bit: 8mm
- ⊙ 10mm
- ⊙ 12mm and 13mm
- ⊙ Bit Holder
- ⊙ Countersink Drill
- ⊙ Cylindrical Wood Drill: 4mm
- ⊙ 5mm
- ⊙ 6mm
- ⊙ 8mm and 10mm
- ⊙ Cylindrical Masonry Drill: 4mm
- ⊙ 5mm
- ⊙ 6mm
- ⊙ 8mm and 10mm
- ⊙ Cylindrical Metal Drill: 3mm
- ⊙ 3.5mm
- ⊙ 4mm
- ⊙ 4.5mm
- ⊙ 5mm
- ⊙ 5.5mm

- ⊙ 6mm and 6.5mm
- ⊙ Screw Bits 25mm: PH0 (2)
- ⊙ PH1 (2)
- ⊙ PH2 (3)
- ⊙ PH3 (3)
- ⊙ PZ0 (2)
- ⊙ PZ1 (2)
- ⊙ PZ2
- ⊙ PZ3 (3)
- ⊙ H3
- ⊙ H4
- ⊙ H5
- ⊙ H6
- ⊙ T10
- ⊙ T15
- ⊙ T20 (2)
- ⊙ T25 (2)
- ⊙ T30
- ⊙ T40
- ⊙ SL4 (2)
- ⊙ SL5 (2)
- ⊙ SL5.5 (2)
- ⊙ SL6.5 (2)
- ⊙ Screwdriver Bits 50mm: PH2
- ⊙ PH3
- ⊙ PZ2
- ⊙ PZ3
- ⊙ T20
- ⊙ T30
- ⊙ SL5.5 and SL6.5

More info

<https://makita.ae/product/cordless-percussion-driver-drill-lxt-dhp490wvx6/>