

Driver Drill 7.2V

DF012DSJ



Product Description

7.2V • 0 - 650 min-1 • 5,6 Nm

Pencil drill driver with torque control

A small and light 7.2V pencil drill driver. A compact drill driver with 21-position torque adjustment between 0,3 Nm and 3,0 Nm. The tool has two speed ranges and it switches off once the set torque is reached. Two 1.5Ah batteries and a charger in a Makpac case.

Product Features

- LED light illuminates the work site
- The rubber coating on the handle ensures a firm working grip
- Battery protection system automatically shuts off power when the battery level is low

Barcode

88381838047

Product Specifications	
Torque setting	21
Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)	Li-ion
Tool weight with battery (EPTA)	0,54 kg
Battery Voltage	7,2 V
Sound Pressure Level	70 dB(A)
Product Dimensions (L x W x H):	115 x 125 x 64 mm
Max. fastening torque Hard/Soft	5,6 / 3,6 Nm
Vibration Level (3 axes)	≤ 2,5 m/s²
Product net weight (new)	0,43 kg
Driving Shank	0.25 "
Vibration Uncertainty (K Factor)	1,5 m/s²
Noise Uncertainty (K Factor)	3 dB(A)
Dimensions, foldable (L x W x H)	218 x 44 x 142 mm
Tool Category	Screwing and Drilling
No load speed	0 - 200 / 0 - 650 min ⁻¹

Standard Equipment

- 2pcs 7.2V (1.5Ah) Battery
- 1pc Charger

More info