

Driver Drill XGT

DF003GU201



Product Description

• 40V MAX XGT • BL • AFT • XPT

Cordless Driver Drill 13 mm (1/2") 180 N·m

Feature a newly added medium-speed mode as one of its three-speed settings. The added medium-speed mode delivers combination of the torque and speed ideal for demanding tasks, such as driving long screws, which require both high torque and speed.

Comes with 2pcs of BL4040F batteries and 1pc DC40RA Charger. Comes in a Plastic Carry Case.

Product Features

- ⊙ Medium-speed mode improves work efficiency in heavy-duty applications, where our current and the competitors' models can operate only in low-speed mode and with lower work efficiency.
- ⊙ In tightening of long screw, operating speed in the medium-mode is approx twice as high as that in low-speed mode.
- ⊙ Active Feedback sensing Technology (AFT) turns the motor off if bit rotation is suddenly forced to stop
- ⊙ Electronical clutch; Enhanced torque and clutch stages in clutch mode, thanks to high-torque in high-speed mode and new 3-speed settings (41/30/25 settings in Low/Medium/High mode).
- ⊙ Jog dial for easy adjustment of fastening torque; with digital display for visual confirmation of selected torque
- ⊙ All metal 13 mm self-ratcheting chuck for improved bit gripping strength and durability

Product Specifications

No Load Speed	
Capacity	
Max Fastening Torque	
Clutch Torque Setting	
Chuck Capacity	
Dimensions (LxWxH)	
Net Weight	
No Load Speed	High: 0 - 2,400 min-1 / Med.: 0 - 1,800 min-1 / Low: 0 - 650 min-1
Capacity	Wood (Self-feed bit): 92 mm / Wood (Hole saw): 152 mm / Steel: 20 mm
Max Fastening Torque	Max: 180 N·m/Hard: 150 N·m/Soft, High/Med./Low: 28/36/88 N·m
Clutch Torque Setting	High / Med. / Low: 25 / 30 / 41
Chuck Capacity	13 mm (1/2")
Dimensions (LxWxH)	196 x 86 x 284 mm (with BL4040F)
Net Weight	2.1 kg (w/o battery)

Standard Equipment

- ⦿ Belt Clip
- ⦿ Screw
- ⦿ Hand Strap
- ⦿ Bit
- ⦿ Bit Holder
- ⦿ Grip Assembly

More info

<https://makita.ae/product/driver-drill-xgt-df003gu201/>