

Impact Driver XGT TD002GZ01



Product Description

40V MAX XGT • 1/4" • 220 Nm • 0 - 3 700 min⁻¹

Extremely compact impact driver.

Powerful brushless Impact Driver. The maximum torque is 220 Nm and the machine has multiple operation modes for a wide range of applications; 4-speed power selection and 6 Assist modes.

Product Features

- ⊙ Ergonomically designed handle with soft grip provides increased comfort on the job
- ⊙ Electric brake for maximum productivity and increased operator safety
- ⊙ eXtreme Protection Technology (XPT) is engineered for improved dust and water resistance for operation in harsh conditions
- ⊙ Battery protection circuit protects against overloading, over-discharging and over-heating

Barcode

88381767804

Product Specifications

Tool weight with battery (EPTA)	1,7 - 2,9 kg
Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)	Li-ion
Battery Voltage	40 V
Brushless Motor	YES
Vibration Level (3 axes), Fastening Bolt	12,9 m/s ²
Sound Pressure Level	94 dB(A)
Capacity machine screw	M4 - M8
Vibration Uncertainty (K Factor)	1,5 m/s ²
Driving Shank	0.25 "
Tightening Capacity High Tensile Bolt	M5 - M14

Product Dimensions (L x W x H):	119 x 86 x 252 mm
Product net weight (new)	1,0 kg
Impacts per Minute (IPM)	0 - 1400 / 2600 / 3600 / 4600 min ⁻¹
System	XGT 40Vmax/80V max
Max Fastening Torque Impact Drill	20 / 50 / 170 / 220 Nm
Sound Power Level (L_{WA})	105 dB(A)
Voltage XGT	1
Tightening Capacity Standard Bolt	M5 - M16
Noise Uncertainty (K Factor)	3 dB(A)
Tool Category	Screwing and Drilling
No load speed	0 - 1100 / 2100 / 3200 / 3700 min ⁻¹

Standard Equipment

- ⊙ Sold without Battery or Charger

More info

<https://makita.ae/product/impact-driver-xgt-td002gz01/>