

# Lawn Mower LXT

## DLM330RT



### Product Description

18V LXT • 330 mm

**Plastic-deck battery-powered lawn mower with grass box for small gardens**

DLM330 is 18V LXT Single Battery Cordless Lawn Mower. A silent battery-powered lawn mower with a plastic deck that is light to operate. The lawn mower is easy to use and is ideal for small gardens. Comes with a 5.0Ah LXT battery and a charger.

### Product Features

- ⊙ Soft start feature gradually increases speed to eliminate start up shock
- ⊙ Low noise level suitable for use in residential areas and public spaces
- ⊙ Compact storage of grass catcher allows for space-saving vertical storage
- ⊙ Electric brake for maximum productivity
- ⊙ Battery protection circuit protects against overloading, over-discharging and over-heating

### Barcode

0088381757942

### Product Specifications

<b>Cutting height positions</b>	8
<b>RPM (Normal mode)</b>	4300 min <sup>-1</sup>
<b>Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)</b>	Li-ion
<b>Rear Wheel Diameter</b>	18 cm
<b>Tool weight with battery (EPTA)</b>	11,6 - 12,5 kg
<b>Battery Voltage</b>	18 V
<b>Collecting Box Capacity</b>	30 L
<b>Sound Pressure Level</b>	82,4 dB(A)
<b>Product Dimensions (L x W x H):</b>	1285 - 1350 x 375 x 935 - 975 mm
<b>Vibration Level (3 axes)</b>	≤ 2,5 m/s <sup>2</sup>
<b>Front Wheel Diameter</b>	14 cm
<b>Cumulative</b>	1
<b>Sound Power Level (L<sub>WA</sub>)</b>	89 dB(A)
<b>Voltage LXT</b>	1
<b>System</b>	LXT 18V/36V
<b>Product net weight (new)</b>	10,1 kg
<b>Width of Mowing Deck</b>	33 cm

<b>Mowing Height</b>	20-75 mm
<b>Vibration Uncertainty (K Factor)</b>	1,5 m/s <sup>2</sup>
<b>Noise Uncertainty (K Factor)</b>	1,5 dB(A)
<b>Dimensions, foldable (L x W x H)</b>	775 x 375 x 520 mm
<b>Actual mowing area 4,0 Ah</b>	270 m <sup>2</sup>
<b>Bio cutting</b>	1
<b>Tool Category</b>	Lawn Care
<b>No load speed</b>	4300 min <sup>-1</sup>

#### Standard Equipment

- ⦿ 1pc DC18RC Fast Charger
- ⦿ 1pc BL1850B (5.0Ah) 18V LXT Battery

#### More info

<https://makita.ae/product/lawn-mower-lxt-dlm330rt/>