

# Lawn Mower XGT

## LM002GT201

### Product Description

40V MAX XGT • 53 cm • 70 L

**The LM002G has a 534mm cutting width and can achieve up to 2,500m<sup>2</sup> on self-propelled mode with 2 x 8.0Ah XGT batteries.**

This model features three different cutting modes as well as a mowing height adjusting lever. LM002G also features two battery terminals for increased runtime. However, it will operate on a single 40V MAX XGT Li-Ion battery as the batteries are used in parallel for longer run time of the mower.



### Product Features

- ⊙ High water-resistance (Wet Guard/ IPX4 compatible)

### Barcode

88381774000

### Product Specifications

<b>RPM (Soft no load mode)</b>	2300 / 2800 min <sup>-1</sup>
<b>Cutting height positions</b>	10
<b>RPM (Normal mode)</b>	2800 min <sup>-1</sup>
<b>Tool weight with battery (EPTA)</b>	29,3 - 34,7 kg
<b>Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)</b>	Li-ion
<b>Rear Wheel Diameter</b>	23 cm
<b>Actual mowing area 8,0 Ah x 2</b>	2500 - 3400 m <sup>2</sup>
<b>Propelling Speed</b>	1,5 - 5,0 km/h
<b>Battery Voltage</b>	40 V
<b>Brushless Motor</b>	YES
<b>Collecting Box Capacity</b>	70 L
<b>Sound Pressure Level</b>	81 dB(A)
<b>Product Dimensions (L x W x H):</b>	1740 - 1810 x 595 x 970 - 1080 mm
<b>Vibration Uncertainty (K Factor)</b>	1,5 m/s <sup>2</sup>
<b>Width of Mowing Deck</b>	53,4 cm
<b>Mowing Height</b>	20-100 mm
<b>Product net weight (new)</b>	28,0 kg
<b>System</b>	XGT 40Vmax/80V max
<b>Front Wheel Diameter</b>	23 cm
<b>Vibration Level (3 axes)</b>	≤ 2,5 m/s <sup>2</sup>
<b>Sound Power Level (L<sub>WA</sub>)</b>	94 dB(A)
<b>Voltage XGT</b>	1
<b>Self-Propelled</b>	1

<b>Noise Uncertainty (K Factor)</b>	3 dB(A)
<b>Max Output Power</b>	1900 W
<b>RPM (noise reduction mode)</b>	2300 min <sup>-1</sup>
<b>Tool Category</b>	Lawn Care
<b>Cutting width</b>	534 mm
<b>No load speed</b>	2300 - 2800 min <sup>-1</sup>

#### Standard Equipment

- ⊙ 1pc DC40RA Fast Charger
- ⊙ 2pcs x BL4050F (5.0Ah) 40V MAX XGT Battery

#### More info

<https://makita.ae/product/lawn-mower-xgt-lm002gt201/>