

## Metal Shear

# JS1601



### Product Description

380 W • 4 500 min<sup>-1</sup>

#### A high capacity metal shear with a radius of 250 mm

A metal shear for straight and curved cuts with a radius of 250 mm, cuts a clean-edged strip from the middle. Cutting capacity of 2,5 mm for aluminium and 1,6 mm for steel. A motor capacity of 380 W and a stroke rate of 4 500 min<sup>-1</sup>.

### Product Features

- ⦿ Compact and lightweight design

### Barcode

88381609074

### Product Specifications

Cutting Capacity Aluminum (up to 200N/mm <sup>2</sup> )	2,5 mm
Cutting Capacity Mild Steel (up to 400N/mm <sup>2</sup> )	1,6 mm
Cutting Capacity Stainless Steel (up to 600N/mm <sup>2</sup> )	1,2 mm
Cutting Capacity Stainless Steel (up to 800N/mm <sup>2</sup> )	0,8 mm
Sound Pressure Level	77 dB(A)
Power Supply Cord	2,5 m
Product Dimensions (L x W x H):	320 x 70 x 78 mm
Min. Internal Cutting Radius	250 mm
Strokes per Minute (SPM)	4500 min <sup>-1</sup>
Continuous Input Power	380 W
Vibration Uncertainty (K Factor)	1,5 m/s <sup>2</sup>
Product net weight (new)	1,4 kg
Vibration Level (3 axes)	9,5 m/s <sup>2</sup>
Sound Power Level (L <sub>WA</sub> )	88 dB(A)
Weight Without Cable (EPTA)	1,4 kg
Noise Uncertainty (K Factor)	3 dB(A)
Min. External Cutting Radius	254 mm
Tool Category	Cutting

### More info

<https://makita.ae/product/metal-shear-js1601/>