

## Metal Shear

# JS3201



### Product Description

710 W • 1 600 min<sup>-1</sup>

#### Handy, high-capacity metal shear with handle

A metal shear for straight and curved cuts with a radius of 50 mm, cuts a clean-edged strip from the middle. A high cutting capacity of 4,0 mm for aluminium and 3,2 mm for steel. A motor capacity of 710 W and a stroke rate of 1 600 min<sup>-1</sup>.

### Product Specifications

Power Supply Cord UK	2,5 m
Cutting Capacity Aluminum (up to 200N/mm <sup>2</sup> )	4,0 mm
Cutting Capacity Mild Steel (up to 400N/mm <sup>2</sup> )	3,2 mm
Cutting Capacity Stainless Steel (up to 600N/mm <sup>2</sup> )	2,5 mm
Cutting Capacity Stainless Steel (up to 800N/mm <sup>2</sup> )	1,5 mm
Sound Pressure Level	81 dB(A)
Power Supply Cord	4,0 m
Product Dimensions (L x W x H):	213 x 90 x 239 mm
Strokes per Minute (SPM)	1600 min <sup>-1</sup>
Min. Internal Cutting Radius	50 mm
Continuous Input Power	710 W
Vibration Uncertainty (K Factor)	1,5 m/s <sup>2</sup>
Product net weight (new)	3,4 kg
Vibration Level (3 axes)	17,0 m/s <sup>2</sup>
Sound Power Level (L <sub>WA</sub> )	92 dB(A)
Weight Without Cable (EPTA)	3,4 kg
Noise Uncertainty (K Factor)	3 dB(A)
Min. External Cutting Radius	50 mm
Tool Category	Cutting

### More info

<https://makita.ae/product/metal-shear-js3201/>