

# Nibbler

## JN1601



### Product Description

550 W • 2 200 min<sup>-1</sup>

#### Clean and precise cutting of metal and other sheets

A slimline nibbler that achieves precise, clean-edged curved and straight cuts. Ideal for cutting profile sheets, such as roofing materials. The nibbler die rotates 360 degrees. A cutting capacity of 2,5 mm for aluminium and 1,6 mm for steel. A motor capacity of 550 W and a stroke rate of 2 200 min<sup>-1</sup>.

### Product Specifications

Cutting Capacity Aluminum (up to 200N/mm <sup>2</sup> )	2,5 mm
Cutting Capacity Mild Steel (up to 400N/mm <sup>2</sup> )	1,6 mm
Cutting Capacity Stainless Steel (up to 600N/mm <sup>2</sup> )	1,2 mm
Cutting Capacity Stainless Steel (up to 800N/mm <sup>2</sup> )	0,8 mm
Sound Pressure Level	91 dB(A)
Power Supply Cord	2,0 m
Min. Internal Cutting Radius	45 mm
Strokes per Minute (SPM)	2200 min <sup>-1</sup>
Product Dimensions (L x W x H):	261 x 75 x 177 mm
Continuous Input Power	550 W
Vibration Uncertainty (K Factor)	1,5 m/s <sup>2</sup>
Vibration Level (3 axes)	7,0 m/s <sup>2</sup>
Sound Power Level (L <sub>WA</sub> )	102 dB(A)
Product net weight (new)	1,6 kg
Weight Without Cable (EPTA)	1,6 kg
Noise Uncertainty (K Factor)	3 dB(A)
Min. External Cutting Radius	50 mm
Tool Category	Cutting

### More info

<https://makita.ae/product/nibbler-jn1601/>