

## Percussion Driver Drill CXT HP333DZ



### Product Description

12V MAX • 30 Nm • 0 - 1 700 min<sup>-1</sup>

#### **A compact, brushless drill for professional screwdriving and drilling**

A lightweight drill for screwdriving and drilling with or without hammer action, two power settings. Maximum torque of 30 / 14 Nm. A versatile tool for fitters, builders and maintenance staff. Integrated LED light. Tool only, battery and charger not included.

### Product Features

- ⊙ Battery protection system automatically shuts off power when the battery level is low

### Barcode

88381872195

### Product Specifications

<b>Torque setting</b>	20
<b>Tool weight with battery (EPTA)</b>	1,1 - 1,3 kg
<b>Max. Drilling Diameter in Steel</b>	10 mm
<b>Max. Drilling Diameter in Wood</b>	21 mm
<b>Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)</b>	Li-ion
<b>Vibration Level (3 axes), Impact Drilling</b>	13,0 m/s <sup>2</sup>
<b>Battery Voltage</b>	12 V
<b>Sound Pressure Level</b>	82 dB(A)
<b>CXT Battery</b>	1
<b>Vibration Uncertainty (K Factor)</b>	1,5 m/s <sup>2</sup>
<b>Product Dimensions (L x W x H):</b>	193 x 66 x 212 mm
<b>Max. fastening torque Hard/Soft</b>	30 / 14 Nm
<b>Impacts per Minute (IPM)</b>	0 - 6750 / 25500 min <sup>-1</sup>
<b>System</b>	CXT 12Vmax
<b>Vibration Level (3 axes)</b>	≤ 2,5 m/s <sup>2</sup>
<b>Sound Power Level (L<sub>WA</sub>)</b>	93 dB(A)
<b>Product net weight (new)</b>	0,92 kg
<b>Noise Uncertainty (K Factor)</b>	3 dB(A)
<b>Max. Drilling Diameter in Masonry</b>	8 mm

<b>Max. Drilling Diameter in Concrete</b>	8 mm
<b>Drill Chuck Capacity</b>	0,8-10 mm
<b>Tool Category</b>	Screwing and Drilling
<b>Electronic brake</b>	1
<b>No load speed</b>	0 - 450 / 1700 min <sup>-1</sup>

#### Standard Equipment

- ⦿ Sold without Battery or Charger

#### More info

<https://makita.ae/product/percussion-driver-drill-cxt-hp333dz/>