Percussion Driver Drill XGT

Makita



Product Description

40V MAX XGT • 140 Nm • 0 - 2 600 min⁻¹

Rugged, brushless combi drill for heavy-duty screwdriving and drilling

A powerful, brushless drill for professional screwdriving and drilling with or without hammer action, two power settings. A high maximum torque of 140 / 68 Nm. An ideal choice for jobs that require high power and torque. Integrated LED light. Two 4.0 Ah batteries and a rapid charger in a Makpac case.

Product Features

 \odot Jog selector for easy adjustment of mounting torque, visual confirmation of the selected torque on the digital display

 \odot XPT (Extreme Protection Technology) is engineered for improved dust and water resistance for operation in harsh job site conditions

Battery protection system automatically shuts off power when the battery level is low

Active Feedback sensing Technology (AFT) stops the engine if the rotation suddenly stops
 Active Feedback sensing Technology
 (AFT) stops the engine if the rotation suddenly stops
 Active Feedback sensing Technology
 (AFT) stops the engine if the rotation suddenly
 stops
 Active Feedback
 Sensing Technology
 (AFT)
 (AFT

Barcode

88381894104

Product Specifications

Drilling Capacity Wood (Auger Bit)	50 mm
Vibration Level (3 axes), Drilling	≤ 2,5 m/s²
Torque setting	41 / 21
Drilling Capacity Wood (Self-feed bit)	76 mm
Tool weight with battery (EPTA)	2,7 - 3,9 kg
Max. Drilling Diameter in Steel	20 mm
Max. Drilling Diameter in Wood	76 mm
Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)	Li-ion
Vibration Level (3 axes), Impact Drilling	6,0 m/s²
Battery Voltage	40 V

Brushless Motor	YES
Sound Pressure Level	85 dB(A)
Vibration Uncertainty (K Factor)	1,5 m/s ²
Driving Shank	1/2"-20UNF "
Product Dimensions (L x W x H):	182 x 86 x 282 mm
Max. fastening torque Hard/Soft	140 / 68 Nm
Impacts per Minute (IPM)	0 - 9750 / 39000 min ⁻¹
System	XGT 40Vmax/80V max
Sound Power Level (L _{wa})	96 dB(A)
Product net weight (new)	1,7 kg
Voltage XGT	1
Noise Uncertainty (K Factor)	3 dB(A)
Max. Drilling Diameter in Concrete	20 mm
Max. Drilling Diameter in Masonry	20 mm
Drill Chuck Capacity	1,5-13 mm
Tool Category	Screwing and Drilling
Electronic brake	1
No load speed	0 - 650 / 2600 min ⁻¹

Standard Equipment

- 1pc DC40RA Fast Charger
- \odot 2pcs x BL4040 (4.0Ah) 40V MAX XGT Battery
- Makpack Case

More info

https://makita.ae/product/percussion-driver-drill-xgt-hp001gm201/