

## **Power Cutter**

## **EK7651HX1**



## **Product Description**

75 cm3 • 3,0 kW • 350 mm

**Efficient cutter with wheel for construction and earthworks** A cutter with a powerful four-stroke engine for construction and earthworks. The four-stroke engine reduces operating costs, emissions and noise levels. The max. cutting depth with a 350 mm wheel is 122 mm.

Product Specifications	
Bore Size (Arbor Diameter)	25,4 mm
Max. Depth of Cut	122 mm
Primer pump	1
Grinding Disc Diameter	350 mm
Vibration Level (3 axes) at Rear Handle	1,8 m/s <sup>2</sup>
Sound Pressure Level	92,7 dB(A)
4-stroke OHV (Overhead Valve) Y/N	1
Vibration Uncertainty (K Factor)	2,0 m/s <sup>2</sup>
Product Dimensions (L x W x H):	780 x 310 x 455 mm
Sound Power Level (L <sub>WA</sub> )	104,6 dB(A)
Displacement	75,6 cc
Product net weight (new)	12,9 kg
Weight Without Cable (EPTA)	12,9 kg
Noise Uncertainty (K Factor)	2,5 dB(A)
Vibration Level (3 axes) at Front Handle	2,7 m/s <sup>2</sup>
Engine Speed at Max. Power	3,0 kW
Tool Category	Cutting
No load speed	4300 min <sup>-1</sup>
Fuel Tank Capacity	1,1 L

## More info

https://makita.ae/product/power-cutter-ek7651hx1/