

Rotary Hammer HR4501C



Product Description

1 350 W • SDS-Max • 45 mm • 12.5 J

Powerful dual-action combi hammer for heavy-duty use

Efficient 1 350 W combi hammer for SDS-MAX blades. Masonry drilling capacity of 45 mm and impact energy of 12,5 J. With its drilling and chipping functions, this tool is an ideal choice for renovation and building work.

Product Features

- ⊙ Kontrollleuchte meldet Betriebsbereitschaft und Kohlebürstenverschleiß
- ⊙ Dust-protected tool holder
- ⊙ Torque limiting clutch engineered to minimize gear damage by automatically disengaging gears if the bit binds

Barcode

88381084970

Product Specifications

Plastic Carrying Case	1
Drilling diameter with TCT core bit	125 mm
Vibration Level (3 axes), Impact Drilling	14,3 m/s ²
Optimum Drilling Diameter Range in Concrete	20-35 mm
Sound Pressure Level	94 dB(A)
Power Supply Cord	5,0 m
Vibration: Chiselling	9,9 m/s ²
Product Dimensions (L x W x H):	458 x 121 x 288 mm
Continuous Input Power	1350 W
Impact Energy	10,1 J
Vibration Uncertainty (K Factor)	1,5 m/s ²
Impacts per Minute (IPM)	1250 - 2750 min ⁻¹
Sound Power Level (L _{WA})	105 dB(A)
Weight Without Cable (EPTA)	7,8 kg
Noise Uncertainty (K Factor)	3 dB(A)
Max. Drilling Diameter in Concrete	45 mm
Tool Category	Hammer Drilling and Chiseling
Adapted for SDS-MAX bits	1
No load speed	130 - 280 min ⁻¹

More info

<https://makita.ae/product/rotary-hammer-hr4501c/>