

Wheelbarrow LXT DCU601Z



Product Description

36V (18Vx2) LXT • 180kg • 0 - 1,5 / 5,0 km/h

Model DCU601 is equipped with an electric lift

Increased max load capacity up to 300kg (661lbs). Up to 4 batteries can be installed for long run time. Three forward speeds and one reverse, with variable speed control by switch trigger in each range. Equipped with electric and electromagnetic brakes in addition to a hand lever-operated mechanical brake. Headlights, taillight, warning beeper and level gauge for more convenience. Swivel locks fix the direction of rear tyres

Product Specifications

| | |
|--|----------------------------|
| Travelling speed reverse | 0 - 1 km/h |
| Max climbing capacity | 12 ° |
| Battery Chemistry (Ni-Cd / Ni-MH / Li-ion) | Li-ion |
| Tool weight with battery (EPTA) | 144 - 145 kg |
| Brushless Motor | YES |
| Battery Voltage | 2 X 18 V |
| Sound Pressure Level | 70 dB(A) |
| Travelling speed forward | 0 - 1,5 / 3,5 / 5,0 km/h |
| Product Dimensions (L x W x H): | 1400 x 730 x 820 - 1030 mm |
| Continuous use 18V / 6.0 Ah x4 | 100 min |
| Vibration Uncertainty (K Factor) | 1,5 m/s ² |
| Vibration Level (3 axes) | ≤ 2,5 m/s ² |
| Max load capacity | 180 kg |
| Voltage LXT | 1 |
| Product net weight (new) | 143,3 kg |
| System | LXT 18V/36V |
| Noise Uncertainty (K Factor) | 4 dB(A) |
| Tool Category | Transportation |

Standard Equipment

⊙ Sold without Battery or Charger

More info

<https://makita.ae/product/wheelbarrow-lxt-dcu601z/>